

Muestra	x	y	Arsénico (As)	Cadmio (Cd)	Cromo (Cr)	Cobre (Cu)	Mercurio (Hg)
818-3-1	-1.395389	38.688819	<4.0	0.55	<15	7.2	0.10
818-4-1	-1.266801	38.701167	5.0	<0.30	<15	6.2	<0.050
818-4-2	-1.253886	38.680242	6.7	<0.30	<15	5.7	<0.050
818-4-3	-1.21816	38.686712	5.5	<0.30	<15	5.6	<0.050
819-3-1	-1.153996	38.720206	7.5	<0.30	19	7.6	<0.050
819-3-2	-1.134814	38.670914	<4.0	<0.30	<15	<5.0	<0.050
819-3-3	-1.08381	38.676529	4.8	<0.30	<15	5.9	<0.050
844-1-1	-1.424102	38.66453	7.5	<0.30	<15	8.2	<0.050
844-1-2	-1.426411	38.636915	5.7	<0.30	18	7.8	<0.050
844-1-3	-1.41282	38.617328	10	<0.30	21	6.4	0.065
844-2-1	-1.23563	38.630968	5.0	<0.30	18	6.0	<0.050
844-2-2	-1.295462	38.64918	7.3	<0.30	<15	7.2	0.051
844-2-3	-1.320336	38.66076	4.7	<0.30	<15	5.0	<0.050
844-2-4	-1.341619	38.659495	4.5	<0.30	<15	6.2	<0.050
844-2-5	-1.329892	38.622259	6.6	<0.30	19	7.0	<0.050
844-2-6	-1.329601	38.602394	4.6	<0.30	<15	<5.0	<0.050
844-2-7	-1.232522	38.595799	<4.0	<0.30	<15	<5.0	<0.050
844-3-1	-1.394784	38.559708	<4.0	<0.30	<15	<5.0	<0.050
844-3-2	-1.380378	38.574759	5.6	<0.30	<15	<5.0	<0.050
844-3-3	-1.382915	38.526402	4.0	<0.30	<15	<5.0	<0.050
844-3-4	-1.439293	38.511493	5.6	<0.30	<15	<5.0	<0.050
844-4-1	-1.328329	38.555965	11	<0.30	19	9.9	<0.050
844-4-2	-1.347391	38.526065	4.1	<0.30	19	7.0	<0.050
844-4-3	-1.290983	38.532252	<4.0	<0.30	<15	<5.0	<0.050
844-4-4	-1.259795	38.575847	5.7	<0.30	23	6.9	<0.050
844-4-5	-1.211281	38.572724	5.2	<0.30	<15	<5.0	<0.050
844-4-6	-1.234056	38.547945	4.6	<0.30	17	7.2	<0.050
844-4-7	-1.249024	38.521008	4.0	<0.30	<15	<5.0	<0.050
845-1-1	-1.177084	38.66041	7.3	<0.30	<15	<5.0	<0.050
845-1-2	-1.138518	38.621623	4.2	<0.30	<15	5.8	<0.050
845-1-3	-1.057174	38.641775	4.8	<0.30	<15	<5.0	<0.050
845-1-4	-1.037025	38.586706	4.9	<0.30	<15	6.2	<0.050
845-1-5	-1.128024	38.594366	5.8	<0.30	16	5.9	<0.050
845-1-6	-1.1639	38.596454	12	<0.30	28	13	<0.050
845-1-7	-1.158931	38.620225	8.5	<0.30	22	8.9	0.052
845-3-1	-1.029488	38.555253	7.4	<0.30	21	10	<0.050
845-3-2	-1.039137	38.511643	6.7	<0.30	17	11	<0.050
845-3-3	-1.056214	38.521134	9.4	0.33	30	14	0.10
845-3-4	-1.039649	38.529791	5.6	0.37	22	9.1	<0.050
845-3-5	-1.055995	38.548067	8.0	<0.30	20	11	<0.050
845-3-6	-1.133595	38.521842	6.4	<0.30	<15	7.1	<0.050
845-3-7	-1.128116	38.565019	<4.0	<0.30	<15	5.7	<0.050
868-3-1	-1.758832	38.346402	4.7	<0.30	16	8.2	0.092
868-3-2	-1.688507	38.352513	5.6	<0.30	<15	9.6	<0.050
868-3-3	-1.774032	38.358999	8.3	<0.30	<15	12	0.23
869-1-1	-1.477939	38.488005	6.9	<0.30	<15	7.6	<0.050
869-1-2	-1.418732	38.460603	7.2	<0.30	<15	7.9	0.070
869-1-3	-1.406991	38.486069	4.3	<0.30	<15	<5.0	<0.050
869-1-4	-1.358821	38.450385	7.2	<0.30	<15	9.4	0.083
869-2-1	-1.319705	38.495259	<4.0	<0.30	<15	<5.0	<0.050
869-2-2	-1.31417	38.431324	<4.0	<0.30	<15	<5.0	<0.050
869-2-3	-1.238637	38.419577	6.2	<0.30	<15	5.4	0.055
869-2-4	-1.281382	38.482558	<4.0	<0.30	<15	6.1	0.076
869-2-5	-1.243058	38.465456	4.7	<0.30	19	6.3	<0.050
869-2-6	-1.224988	38.447005	<4.0	<0.30	20	12	<0.050
869-2-7	-1.200383	38.483536	5.0	<0.30	16	8.0	0.10
869-3-1	-1.433124	38.400861	<4.0	<0.30	<15	5.7	<0.050
869-3-2	-1.396789	38.367176	5.5	<0.30	<15	5.6	<0.050
869-3-3	-1.454198	38.338838	<4.0	<0.30	<15	8.7	0.058
869-3-4	-1.506515	38.337567	7.0	<0.30	16	7.7	<0.050
869-4-1	-1.249119	38.364036	4.9	<0.30	<15	<5.0	0.18
869-4-2	-1.188681	38.387358	<4.0	<0.30	<15	<5.0	<0.050
869-4-3	-1.32127	38.346424	6.0	<0.30	20	8.7	<0.050
869-4-4	-1.257967	38.377217	<4.0	0.46	<15	<5.0	<0.050
869-4-5	-1.208108	38.401759	5.0	<0.30	19	8.1	<0.050
869-4-6	-1.347733	38.412157	7.7	<0.30	<15	5.8	<0.050
869-4-7	-1.332238	38.406893	<4.0	<0.30	<15	<5.0	<0.050
870-1-1	-1.185932	38.483253	5.1	<0.30	<15	6.2	<0.050
870-1-2	-1.133045	38.462825	5.4	0.37	17	8.9	<0.050
870-1-3	-1.09253	38.470675	6.0	0.32	20	8.1	<0.050
870-1-4	-1.069645	38.477233	6.4	<0.30	<15	5.7	<0.050
870-3-1	-1.093715	38.337513	7.4	<0.30	<15	7.2	<0.050
870-3-2	-1.109472	38.352139	9.7	<0.30	<15	5.3	<0.050
870-3-3	-1.110923	38.378551	<4.0	<0.30	<15	5.5	<0.050
870-3-4	-1.15714	38.386573	5.9	<0.30	22	8.1	<0.050
888-4-1	-2.200750	38.189269	12	<0.30	43	21	0.052

Muestra	x	y	Arsénico (As)	Cadmio (Cd)	Cromo (Cr)	Cobre (Cu)	Mercurio (Hg)
889-1-1	-2,035928	38,270720	6.4	<0.30	<15	6.0	<0.050
889-2-1	-1,871324	38,294730	<4.0	<0.30	<15	5.3	0.082
889-2-2	-1,954732	38,284991	4.2	<0.30	<15	<5.0	<0.050
889-2-3	-1,991803	38,253385	7.0	<0.30	39	8.7	0.10
889-2-4	-1,846089	38,275942	6.8	<0.30	19	7.9	0.29
889-3-1	-2,033160	38,233739	<4.0	0.34	<15	5.6	<0.050
889-3-2	-2,160122	38,202321	9.2	0.52	55	20	<0.050
889-3-3	-2,067208	38,185103	<4.0	<0.30	<15	16	<0.050
889-3-4	-2,120809	38,195877	6.8	<0.30	47	23	<0.050
889-4-1	-1,890190	38,178734	<4.0	0.53	16	34	<0.050
889-4-2	-1,861791	38,190521	<4.0	<0.30	<15	12	<0.050
889-4-3	-1,861442	38,218087	<4.0	<0.30	<15	14	0.065
889-4-4	-1,940396	38,167819	<4.0	<0.30	<15	7.3	0.078
889-4-5	-2,007814	38,174090	<4.0	0.55	<15	35	0.25
889-4-6	-1,862859	38,237965	<4.0	<0.30	<15	11	<0.050
889-4-7	-1,940197	38,213378	4.9	<0.30	15	15	1.0
890-1-1	-1,790391	38,304964	6.0	<0.30	17	9.1	<0.050
890-1-2	-1,784050	38,258549	4.1	<0.30	<15	<5.0	<0.050
890-1-3	-1,842836	38,278026	5.4	<0.30	<15	11	<0.050
890-1-4	-1,706448	38,257340	7.0	<0.30	20	9.5	<0.050
890-1-5	-1,818377	38,325700	<4.0	<0.30	<15	5.6	<0.050
890-1-6	-1,692675	38,331949	8.4	<0.30	57	12	0.10
890-1-7	-1,742492	38,271981	6.6	<0.30	18	15	0.061
890-2-1	-1,557167	38,291929	5.5	<0.30	17	6.2	<0.050
890-2-2	-1,607988	38,27855	4.1	<0.30	<15	7.8	<0.050
890-2-3	-1,656209	38,269379	4.1	<0.30	<15	5.3	<0.050
890-2-4	-1,582657	38,246698	5.1	<0.30	<15	7.5	<0.050
890-3-1	-1,816800	38,241852	<4.0	<0.30	<15	<5.0	<0.050
890-3-2	-1,809078	38,200121	<4.0	<0.30	<15	12	<0.050
890-3-3	-1,720396	38,237356	5.6	<0.30	29	14	<0.050
890-3-4	-1,701824	38,208339	4.4	0.39	16	6.0	<0.050
890-3-5	-1,751410	38,176022	<4.0	<0.30	<15	<5.0	<0.050
890-3-6	-1,810260	38,189283	<4.0	<0.30	<15	13	<0.050
890-3-7	-1,844008	38,215350	<4.0	<0.30	<15	19	<0.050
890-4-1	-1,549345	38,219231	<4.0	<0.30	<15	8.0	<0.050
890-4-2	-1,535465	38,183399	7.3	<0.30	23	13	<0.050
890-4-3	-1,637157	38,174489	<4.0	<0.30	<15	5.0	<0.050
890-4-4	-1,682913	38,22499	<4.0	<0.30	<15	9.5	<0.050
890-4-5	-1,6775	38,196035	<4.0	<0.30	<15	<5.0	<0.050
890-4-6	-1,641372	38,201615	5.3	<0.30	18	13	<0.050
890-4-7	-1,613715	38,172471	<4.0	<0.30	<15	8.5	<0.050
891-1-1	-1,420971	38,251264	8.5	0.44	<15	13	0.069
891-1-2	-1,418324	38,289297	6.2	<0.30	<15	17	<0.050
891-1-3	-1,413676	38,304609	4.0	<0.30	<15	9.6	<0.050
891-1-4	-1,452311	38,305226	6.0	<0.30	<15	9.3	0.055
891-1-5	-1,500973	38,318741	4.3	<0.30	<15	12	<0.050
891-1-6	-1,499195	38,30234	<4.0	<0.30	<15	6.8	<0.050
891-1-7	-1,516878	38,307533	<4.0	<0.30	16	17	<0.050
891-2-1	-1,318594	38,265246	<4.0	<0.30	<15	<5.0	<0.050
891-2-2	-1,339696	38,27662	<4.0	<0.30	<15	8.3	<0.050
891-2-3	-1,271259	38,290956	<4.0	<0.30	<15	12	<0.050
891-2-4	-1,23005	38,306481	<4.0	<0.30	<15	<5.0	<0.050
891-2-5	-1,207084	38,293532	7.0	<0.30	16	13	<0.050
891-2-6	-1,321847	38,311507	4.3	<0.30	<15	5.3	<0.050
891-2-7	-1,280644	38,325204	5.6	<0.30	<15	<5.0	<0.050
891-3-1	-1,506905	38,226888	<4.0	<0.30	<15	11	<0.050
891-3-2	-1,444664	38,223334	4.4	<0.30	16	8.1	<0.050
891-3-3	-1,490014	38,197404	5.7	<0.30	19	9.3	<0.050
891-3-4	-1,508972	38,171631	4.7	<0.30	<15	9.5	<0.050
891-3-5	-1,456992	38,177408	9.4	<0.30	28	12	0.055
891-3-6	-1,373537	38,229405	6.9	<0.30	<15	10	0.11
891-3-7	-1,405527	38,228369	<4.0	<0.30	<15	20	<0.050
891-4-1	-1,315181	38,170591	<4.0	<0.30	<15	5.0	<0.050
891-4-2	-1,322297	38,239864	4.6	0.32	<15	8.5	0.056
891-4-3	-1,271427	38,231583	4.0	<0.30	<15	7.8	<0.050
891-4-4	-1,265738	38,192824	6.5	<0.30	21	40	<0.050
891-4-5	-1,225693	38,208638	8.1	<0.30	39	7.2	<0.050
891-4-6	-1,205187	38,176135	<4.0	<0.30	<15	9.7	<0.050
891-4-7	-1,188414	38,242131	<4.0	<0.30	<15	<5.0	<0.050
892-1-1	-1,079363	38,253017	<4.0	<0.30	<15	5.2	<0.050
892-1-2	-1,047039	38,26476	8.1	<0.30	<15	18	<0.050
892-1-3	-1,081699	38,291875	7.4	<0.30	19	10	<0.050
892-1-4	-1,053684	38,313699	6.2	<0.30	23	11	0.051
892-1-5	-1,128045	38,319599	7.1	0.42	29	11	0.053
892-1-6	-1,169534	38,316611	<4.0	<0.30	<15	<5.0	<0.050
892-1-7	-1,162616	38,261435	<4.0	<0.30	17	<5.0	<0.050

Muestra	x	y	Arsénico (As)	Cadmio (Cd)	Cromo (Cr)	Cobre (Cu)	Mercurio (Hg)
892-2-1	-0.999393	38.32311	4.4	<0.30	21	13	<0.050
892-3-1	-1.088315	38.249027	6.2	<0.30	21	14	<0.050
892-3-2	-1.075939	38.20816	<4.0	<0.30	<15	10	<0.050
892-3-3	-1.114601	38.229355	6.1	<0.30	19	18	<0.050
892-3-4	-1.11898	38.20794	6.1	0.59	<15	10	0.063
892-3-5	-1.158783	38.208949	11	<0.30	<15	10	<0.050
892-3-6	-1.101352	38.176196	4.3	<0.30	<15	15	<0.050
892-3-7	-1.184179	38.232219	<4.0	<0.30	<15	<5.0	0.064
892-4-1	-0.998314	38.209578	6.8	<0.30	<15	6.8	<0.050
909-2-1	-2.218152	38.165493	4.5	<0.30	<15	9.0	<0.050
909-2-2	-2.239516	38.102735	<4.0	0.39	21	9.0	<0.050
909-2-3	-2.270825	38.090758	5.5	<0.30	19	16	<0.050
909-4-1	-2.299538	38.052208	4.2	0.30	17	9.8	<0.050
909-4-2	-2.239765	38.034046	5.8	0.41	27	13	0.058
909-4-3	-2.202174	38.079014	5.4	<0.30	<15	20	<0.050
909-4-4	-2.198947	38.006010	4.1	<0.30	17	6.7	<0.050
910-1-1	-2.038173	38.103989	<4.0	<0.30	<15	5.7	<0.050
910-1-2	-2.045377	38.130624	<4.0	<0.30	<15	<5.0	<0.050
910-1-3	-2.092796	38.162739	4.2	<0.30	<15	5.5	<0.050
910-1-4	-2.066918	38.138217	<4.0	<0.30	<15	7.1	<0.050
910-1-5	-2.028150	38.098163	4.3	<0.30	<15	<5.0	<0.050
910-1-6	-2.092582	38.152692	<4.0	<0.30	<15	<5.0	<0.050
910-1-7	-2.046432	38.121859	4.6	0.48	26	7.8	<0.050
910-2-1	-2.014757	38.091837	6.0	0.32	25	9.5	<0.050
910-2-2	-1.942265	38.123035	<4.0	<0.30	<15	<5.0	<0.050
910-2-3	-1.870594	38.125902	5.3	<0.30	18	22	0.068
910-2-4	-1.989952	38.161626	<4.0	<0.30	16	11	0.061
910-2-5	-1.881202	38.092675	4.5	<0.30	<15	6.4	0.061
910-2-6	-1.865045	38.159822	<4.0	<0.30	<15	8.8	<0.050
910-2-7	-1.859605	38.132468	<4.0	<0.30	<15	<5.0	<0.050
910-3-1	-2.036065	38.015547	8.2	<0.30	48	10	0.054
910-3-2	-2.087177	38.005344	5.2	0.32	26	12	0.056
910-3-3	-2.129728	38.014609	5.2	0.40	18	13	<0.050
910-3-4	-2.029488	38.070038	4.9	<0.30	18	10	<0.050
910-3-5	-2.042234	38.069447	<4.0	<0.30	<15	10	<0.050
910-3-6	-2.143321	38.043064	7.9	0.51	39	12	<0.050
910-3-7	-2.148347	38.063221	<4.0	<0.30	20	13	<0.050
910-4-1	-1.998450	38.073465	4.4	<0.30	<15	9.0	<0.050
910-4-2	-1.888420	38.061325	<4.0	<0.30	<15	9.8	<0.050
910-4-3	-1.893551	38.038569	<4.0	0.32	<15	<5.0	<0.050
910-4-4	-1.925062	38.049865	7.0	0.35	25	11	<0.050
910-4-5	-1.992667	38.032776	6.0	<0.30	25	9.8	<0.050
910-4-6	-1.934656	38.013047	5.3	<0.30	<15	13	<0.050
910-4-7	-1.928463	38.002537	4.5	<0.30	23	10	<0.050
911-1-1	-1.750341	38.098851	<4.0	<0.30	18	14	0.098
911-1-2	-1.760658	38.152086	6.6	<0.30	<15	<5.0	<0.050
911-1-3	-1.698758	38.097942	10	<0.30	47	32	<0.050
911-1-4	-1.818492	38.107013	4.8	<0.30	24	13	<0.050
911-1-5	-1.800186	38.134761	4.5	<0.30	15	10	<0.050
911-1-6	-1.836546	38.120616	6.1	<0.30	20	9.9	0.25
911-1-7	-1.846213	38.147665	<4.0	<0.30	<15	7.7	<0.050
911-2-1	-1.543496	38.130835	4.7	<0.30	<15	<5.0	<0.050
911-2-2	-1.536144	38.107789	<4.0	<0.30	<15	6.9	<0.050
911-2-3	-1.583955	38.12639	<4.0	<0.30	<15	9.4	<0.050
911-2-4	-1.613165	38.115588	<4.0	<0.30	17	10	<0.050
911-2-5	-1.670731	38.094338	7.5	<0.30	25	16	<0.050
911-2-6	-1.648694	38.145896	<4.0	<0.30	<15	13	<0.050
911-2-7	-1.601717	38.092715	9.4	<0.30	37	12	<0.050
911-3-1	-1.837356	38.009362	6.6	<0.30	24	11	<0.050
911-3-2	-1.762163	38.071643	6.2	<0.30	19	12	0.080
911-3-3	-1.690030	38.061817	5.8	<0.30	18	8.6	<0.050
911-3-4	-1.705984	38.016667	7.9	<0.30	41	11	<0.050
911-3-5	-1.789111	38.044861	6.5	<0.30	22	14	<0.050
911-3-6	-1.806194	38.075663	<4.0	<0.30	<15	7.2	<0.050
911-3-7	-1.841299	38.086287	<4.0	<0.30	<15	11	<0.050
911-4-1	-1.544616	38.070973	11	0.44	28	11	0.065
911-4-2	-1.60891	38.068017	<4.0	<0.30	<15	20	0.063
911-4-3	-1.661453	38.025058	6.9	0.36	19	5.7	<0.050
911-4-4	-1.623782	38.012183	5.9	<0.30	<15	17	0.052
911-4-5	-1.583932	38.007559	<4.0	<0.30	<15	16	<0.050
911-4-6	-1.567051	38.030129	<4.0	<0.30	<15	6.9	<0.050
911-4-7	-1.549961	38.046904	<4.0	<0.30	<15	30	0.22
912-1-1	-1.506219	38.163501	5.7	<0.30	17	10	<0.050
912-1-2	-1.458184	38.158263	<4.0	<0.30	<15	17	<0.050
912-1-3	-1.500508	38.128659	<4.0	<0.30	<15	11	<0.050
912-1-4	-1.364841	38.14597	4.3	<0.30	<15	14	<0.050

Muestra	x	y	Arsénico (As)	Cadmio (Cd)	Cromo (Cr)	Cobre (Cu)	Mercurio (Hg)
912-1-5	-1.389849	38.153982	<4.0	0.59	<15	39	<0.050
912-1-6	-1.365694	38.086399	<4.0	<0.30	<15	6.5	<0.050
912-1-7	-1.35957	38.093624	<4.0	<0.30	<15	13	<0.050
912-2-1	-1.341027	38.094743	5.0	<0.30	17	14	<0.050
912-2-2	-1.339722	38.127604	24	<0.30	<15	5.6	<0.050
912-2-3	-1.301349	38.153333	<4.0	<0.30	<15	6.9	<0.050
912-2-4	-1.287165	38.132343	5.1	<0.30	<15	11	<0.050
912-2-5	-1.195538	38.112605	4.4	<0.30	21	12	<0.050
912-2-6	-1.198082	38.154683	<4.0	<0.30	<15	9.2	<0.050
912-2-7	-1.188732	38.145264	<4.0	<0.30	<15	<5.0	<0.050
912-3-1	-1.481459	38.068789	6.0	<0.30	<15	6.6	<0.050
912-3-2	-1.496913	38.045395	<4.0	<0.30	<15	5.7	<0.050
912-3-3	-1.378677	38.061159	<4.0	<0.30	18	14	0.077
912-3-4	-1.397336	38.052489	7.0	0.32	39	15	0.062
912-3-5	-1.41605	38.021635	<4.0	<0.30	18	12	<0.050
912-3-6	-1.43629	38.058644	6.2	<0.30	18	15	0.069
912-3-7	-1.490399	38.014381	9.5	<0.30	<15	11	0.11
912-4-1	-1.205512	38.002122	9.7	<0.30	17	14	<0.050
912-4-2	-1.274322	38.020539	4.6	<0.30	<15	6.4	<0.050
912-4-3	-1.324429	38.00868	<4.0	<0.30	<15	8.4	<0.050
912-4-4	-1.311435	38.039552	4.4	<0.30	<15	11	<0.050
912-4-5	-1.346377	38.067093	4.1	<0.30	17	17	<0.050
912-4-6	-1.198227	38.037898	5.9	<0.30	17	17	<0.050
912-4-7	-1.206756	38.07439	<4.0	<0.30	<15	10	<0.050
913-1-1	-1.158687	38.095293	<4.0	<0.30	<15	7.0	<0.050
913-1-2	-1.042936	38.095219	14	<0.30	31	19	0.058
913-1-3	-1.065199	38.097973	8.3	<0.30	<15	12	<0.050
913-1-4	-1.0909	38.160568	4.0	<0.30	150	30	<0.050
913-1-5	-1.146734	38.152088	<4.0	<0.30	20	18	<0.050
913-1-6	-1.16588	38.140476	<4.0	<0.30	<15	7.2	<0.050
913-1-7	-1.176913	38.102785	5.5	<0.30	24	13	<0.050
913-3-1	-1.168646	38.042528	6.6	<0.30	23	15	<0.050
913-3-2	-1.162765	38.060228	5.3	<0.30	16	8.9	<0.050
913-3-3	-1.099865	38.058574	9.4	<0.30	21	12	<0.050
913-3-4	-1.082323	38.080532	8.2	<0.30	17	12	<0.050
913-3-5	-1.061176	38.053049	38	<0.30	<15	27	0.081
913-3-6	-1.095352	38.037522	11	<0.30	22	77	<0.050
913-3-7	-1.179433	38.01341	9.5	<0.30	16	15	<0.050
913-4-1	-0.997694	38.007346	<4.0	<0.30	<15	7.4	<0.050
930-2-1	-2.242584	37.968595	5.0	<0.30	<15	6.7	<0.050
930-2-2	-2.222296	37.987335	6.7	<0.30	26	11	0.054
930-2-3	-2.189291	37.909627	<4.0	<0.30	17	11	0.083
930-2-4	-2.190831	37.998961	4.0	<0.30	15	6.6	<0.050
931-1-1	-2.050026	37.929893	<4.0	<0.30	<15	7.3	<0.050
931-1-2	-2.052925	37.944121	5.1	<0.30	18	11	<0.050
931-1-3	-2.025703	37.965865	<4.0	<0.30	<15	7.7	<0.050
931-1-4	-2.040834	37.995619	4.9	<0.30	18	10	<0.050
931-1-5	-2.115630	37.941653	7.1	0.43	30	11	<0.050
931-1-6	-2.083843	37.932220	5.1	<0.30	19	10	<0.050
931-1-7	-2.134674	37.984682	5.2	<0.30	<15	6.3	<0.050
931-2-1	-1.929812	37.975151	15	<0.30	16	7.7	<0.050
931-2-2	-1.907120	37.949141	<4.0	<0.30	<15	15	<0.050
931-2-3	-1.879494	37.910761	4.3	<0.30	23	16	<0.050
931-2-4	-1.857218	37.962782	<4.0	<0.30	<15	12	0.44
931-2-5	-1.940559	37.985103	<4.0	<0.30	18	11	<0.050
931-2-6	-2.000402	37.978849	<4.0	<0.30	<15	9.6	<0.050
931-2-7	-1.968650	37.979659	<4.0	<0.30	<15	11	0.086
931-3-1	-2.124690	37.916811	<4.0	<0.30	24	20	<0.050
931-3-2	-2.096087	37.907381	<4.0	<0.30	<15	<5.0	<0.050
931-3-3	-2.076274	37.913836	4.9	<0.30	16	8.6	0.056
931-4-1	-1.880577	37.860336	<4.0	<0.30	<15	<5.0	<0.050
931-4-2	-1.863642	37.834965	<4.0	<0.30	<15	6.9	<0.050
931-4-3	-1.883774	37.847310	4.7	<0.30	<15	8.1	<0.050
931-4-4	-1.865889	37.893021	6.7	<0.30	<15	7.5	0.082
932-1-1	-1.806470	37.947127	4.7	<0.30	20	8.8	<0.050
932-1-2	-1.724135	37.955272	<4.0	<0.30	15	14	<0.050
932-1-3	-1.694585	37.980676	7.8	<0.30	27	7.8	<0.050
932-1-4	-1.769488	37.926726	<4.0	<0.30	<15	9.1	<0.050
932-1-5	-1.837809	37.930612	<4.0	<0.30	<15	34	<0.050
932-1-6	-1.843198	37.953003	5.9	<0.30	15	16	<0.050
932-1-7	-1.850561	37.986805	4.9	<0.30	17	10	<0.050
932-2-1	-1.564423	37.996757	5.3	<0.30	16	24	<0.050
932-2-2	-1.630354	37.984139	6.0	<0.30	<15	13	0.092
932-2-3	-1.655958	37.958725	11	0.36	66	15	<0.050
932-2-4	-1.676351	37.934389	<4.0	<0.30	<15	7.2	<0.050
932-2-5	-1.590657	37.923611	7.6	<0.30	<15	12	<0.050

Muestra	x	y	Arsénico (As)	Cadmio (Cd)	Cromo (Cr)	Cobre (Cu)	Mercurio (Hg)
932-2-6	-1.573274	37.943303	6.5	<0.30	<15	13	0.078
932-2-7	-1.524309	37.957376	4.5	<0.30	<15	11	<0.050
932-3-1	-1.786799	37.915334	<4.0	<0.30	<15	10	<0.050
932-3-2	-1.829473	37.873056	5.5	<0.30	25	13	<0.050
932-3-3	-1.781381	37.850061	<4.0	<0.30	<15	7.5	<0.050
932-3-4	-1.691042	37.835967	<4.0	<0.30	<15	5.2	0.26
932-3-5	-1.697055	37.859663	<4.0	0.34	16	5.6	<0.050
932-3-6	-1.690135	37.891129	9.9	0.53	66	11	<0.050
932-3-7	-1.837243	37.914168	<4.0	<0.30	22	60	0.073
932-4-1	-1.682641	37.907508	<4.0	<0.30	<15	24	<0.050
932-4-2	-1.647756	37.886709	<4.0	<0.30	<15	8.3	<0.050
932-4-3	-1.605098	37.914739	6.5	<0.30	17	10	<0.050
932-4-4	-1.523409	37.909617	<4.0	<0.30	16	5.1	<0.050
932-4-5	-1.579058	37.841413	<4.0	<0.30	<15	<5.0	<0.050
932-4-6	-1.654818	37.846502	7.0	<0.30	<15	<5.0	<0.050
932-4-7	-1.686117	37.85687	8.1	<0.30	32	13	0.052
933-1-1	-1.36032	37.947097	<4.0	<0.30	<15	7.6	<0.050
933-1-2	-1.408661	37.948121	<4.0	<0.30	<15	6.1	<0.050
933-1-3	-1.470736	37.923147	7.3	<0.30	17	7.3	<0.050
933-1-4	-1.486114	37.960402	11	<0.30	39	10	0.11
933-1-5	-1.471378	37.994986	38	0.41	29	13	<0.050
933-1-6	-1.41966	37.982198	5.3	<0.30	<15	8.8	<0.050
933-1-7	-1.375551	37.979273	<4.0	<0.30	<15	<5.0	<0.050
933-2-1	-1.190732	37.999786	8.2	<0.30	19	15	<0.050
933-2-2	-1.231236	37.978841	9.1	<0.30	19	18	<0.050
933-2-3	-1.298401	37.962921	4.8	<0.30	<15	7.3	<0.050
933-2-4	-1.32131	37.975103	5.4	<0.30	<15	5.6	<0.050
933-2-5	-1.309481	37.941367	<4.0	<0.30	<15	<5.0	<0.050
933-2-6	-1.334624	37.926493	<4.0	<0.30	16	15	<0.050
933-2-7	-1.187684	37.917898	8.5	<0.30	16	9.3	0.059
933-3-1	-1.401372	37.912904	<4.0	<0.30	<15	9.1	0.080
933-3-2	-1.46863	37.909381	<4.0	<0.30	<15	<5.0	<0.050
933-3-3	-1.490883	37.89386	13	<0.30	16	11	<0.050
933-3-4	-1.500574	37.906741	37	0.62	54	13	0.062
933-3-5	-1.375793	37.893733	4.6	<0.30	<15	7.8	<0.050
933-3-6	-1.412108	37.861253	6.5	<0.30	18	17	0.13
933-3-7	-1.47002	37.847689	17	<0.30	<15	7.8	<0.050
933-4-1	-1.353139	37.914903	<4.0	0.31	16	13	<0.050
933-4-2	-1.316115	37.880001	6.1	<0.30	15	11	0.081
933-4-3	-1.339085	37.837617	<4.0	<0.30	<15	<5.0	<0.050
933-4-4	-1.224987	37.889355	4.9	<0.30	<15	15	<0.050
933-4-5	-1.254912	37.904179	4.7	<0.30	<15	<5.0	<0.050
933-4-6	-1.265396	37.878367	10.0	<0.30	21	8.8	<0.050
933-4-7	-1.228313	37.833975	7.9	<0.30	19	13	0.068
934-1-1	-1.137069	37.926635	6.1	<0.30	<15	24	<0.050
934-1-2	-1.096299	37.940013	11	0.41	17	12	<0.050
934-1-3	-1.022088	37.998809	7.2	<0.30	18	10	<0.050
934-1-4	-1.173317	37.917319	<4.0	<0.30	19	11	<0.050
934-1-5	-1.031593	37.952955	6.0	<0.30	18	15	0.074
934-1-6	-1.146408	37.97335	9.9	<0.30	21	32	0.16
934-1-7	-1.087958	37.985877	12	0.37	21	20	0.19
934-2-1	-0.957465	37.971014	6.2	<0.30	20	19	0.084
934-2-2	-0.956334	37.93713	<4.0	<0.30	18	13	<0.050
934-2-3	-1.005177	37.944652	<4.0	<0.30	<15	12	0.053
934-3-1	-1.04667	37.894663	4.6	<0.30	<15	6.5	<0.050
934-3-2	-1.02865	37.843575	6.7	<0.30	22	11	<0.050
934-3-3	-1.081309	37.865657	4.4	<0.30	15	9.7	<0.050
934-3-4	-1.063233	37.849265	9.1	<0.30	28	9.8	<0.050
934-3-5	-1.167482	37.859174	7.7	<0.30	18	13	<0.050
934-3-6	-1.140963	37.855084	<4.0	<0.30	<15	8.6	0.65
934-3-7	-1.132613	37.889804	5.6	<0.30	<15	9.5	<0.050
934-4-1	-1.005544	37.855942	5.0	<0.30	19	8.7	<0.050
934-4-2	-0.944473	37.86505	8.2	<0.30	20	12	<0.050
934-4-3	-0.918519	37.89375	4.7	<0.30	18	9.5	<0.050
934-4-4	-0.984974	37.910634	<4.0	<0.30	17	5.3	0.064
935-3-1	-0.793782	37.839595	6.1	<0.30	<15	7.0	<0.050
952-2-1	-1.905726	37.826010	<4.0	<0.30	<15	5.6	<0.050
952-2-2	-1.885580	37.812696	<4.0	<0.30	<15	6.4	<0.050
952-2-3	-1.899921	37.785968	<4.0	<0.30	<15	16	<0.050
952-2-4	-1.898693	37.750797	<4.0	<0.30	<15	10	<0.050
952-4-1	-1.905103	37.730310	4.0	<0.30	<15	8.1	<0.050
952-4-2	-1.934659	37.719681	5.3	<0.30	24	28	0.070
952-4-3	-1.961180	37.710413	<4.0	<0.30	<15	15	0.065
952-4-4	-1.999203	37.683077	4.7	<0.30	<15	6.2	<0.050
953-1-1	-1.697323	37.799069	4.9	<0.30	18	9.1	<0.050
953-1-2	-1.708846	37.760427	<4.0	<0.30	18	14	<0.050

Muestra	x	y	Arsénico (As)	Cadmio (Cd)	Cromo (Cr)	Cobre (Cu)	Mercurio (Hg)
953-1-3	-1,746199	37,767115	<4.0	<0.30	<15	7.9	<0.050
953-1-4	-1,775553	37,794877	<4.0	<0.30	16	8.8	<0.050
953-1-5	-1,785729	37,824455	4.8	<0.30	<15	5.7	<0.050
953-1-6	-1,829910	37,815641	<4.0	0.38	<15	31	<0.050
953-1-7	-1,802648	37,802314	<4.0	<0.30	<15	6.7	<0.050
953-2-1	-1.633615	37.822985	6.3	0.38	22	9.8	<0.050
953-2-2	-1.580041	37.827086	11	0.71	35	11	<0.050
953-2-3	-1.67799	37.814997	4.5	<0.30	<15	6.4	<0.050
953-2-4	-1.67394	37.789995	5.5	<0.30	<15	10	<0.050
953-2-5	-1.611243	37.782101	5.3	<0.30	24	14	<0.050
953-2-6	-1.568017	37.767782	8.1	<0.30	<15	11	<0.050
953-2-7	-1.523028	37.800914	8.8	<0.30	24	11	<0.050
953-3-1	-1,711032	37,721155	<4.0	<0.30	<15	15	<0.050
953-3-2	-1,721195	37,679282	<4.0	<0.30	18	15	<0.050
953-3-3	-1,746614	37,686083	10	3.2	25	39	0.074
953-3-4	-1,782001	37,702744	4.1	<0.30	18	12	<0.050
953-3-5	-1,847516	37,721196	7.8	<0.30	<15	7.9	<0.050
953-3-6	-1,803767	37,720793	8.5	<0.30	23	17	0.080
953-3-7	-1,767632	37,713532	<4.0	<0.30	<15	9.3	0.15
953-4-1	-1.589017	37.718033	4.8	<0.30	16	13	0.062
953-4-2	-1.559792	37.743204	<4.0	<0.30	20	15	<0.050
953-4-3	-1.621799	37.708082	<4.0	<0.30	15	9.3	<0.050
953-4-4	-1.675902	37.685221	<4.0	<0.30	<15	10	<0.050
953-4-5	-1.544523	37.69438	8.2	<0.30	31	20	0.11
953-4-6	-1.550372	37.677159	7.9	<0.30	20	12	<0.050
953-4-7	-1.683697	37.733336	7.1	0.52	22	23	0.072
954-1-1	-1.49532	37.817544	7.7	<0.30	21	5.1	<0.050
954-1-2	-1.51285	37.756301	<4.0	<0.30	<15	10	<0.050
954-1-3	-1.448514	37.764329	<4.0	<0.30	<15	9.4	<0.050
954-1-4	-1.474079	37.794776	4.9	<0.30	<15	6.9	<0.050
954-1-5	-1.376744	37.750625	5.8	<0.30	23	20	<0.050
954-1-6	-1.362176	37.778485	5.4	<0.30	<15	5.4	<0.050
954-1-7	-1.358267	37.811808	6.0	<0.30	23	55	<0.050
954-2-1	-1.347575	37.824456	5.7	<0.30	26	18	<0.050
954-2-2	-1.322766	37.785783	7.1	<0.30	16	15	<0.050
954-2-3	-1.310406	37.753847	7.0	<0.30	20	12	<0.050
954-2-4	-1.201852	37.830795	5.3	<0.30	16	8.1	0.054
954-2-5	-1.133786	37.755475	7.4	<0.30	19	13	<0.050
954-2-6	-1.217956	37.788766	5.1	<0.30	<15	<5.0	<0.050
954-2-7	-1.269503	37.784961	8.7	<0.30	31	16	<0.050
954-3-1	-1.374907	37.717498	17	<0.30	28	15	<0.050
954-3-2	-1.42671	37.678305	7.1	<0.30	23	16	0.13
954-3-3	-1.427338	37.702844	8.5	<0.30	16	8.6	<0.050
954-3-4	-1.450914	37.677448	<4.0	<0.30	16	13	<0.050
954-3-5	-1.470002	37.7098	6.6	<0.30	17	12	<0.050
954-3-6	-1.514061	37.682213	8.2	<0.30	29	11	<0.050
954-3-7	-1.359494	37.670701	5.7	<0.30	20	11	<0.050
954-4-1	-1.353139	37.737343	8.9	<0.30	15	8.8	<0.050
954-4-2	-1.190392	37.669357	15	<0.30	21	20	<0.050
954-4-3	-1.258171	37.721034	9.5	<0.30	35	17	<0.050
954-4-4	-1.223189	37.687187	4.7	<0.30	31	27	<0.050
954-4-5	-1.256207	37.672459	8.7	<0.30	20	14	<0.050
954-4-6	-1.283228	37.679617	6.1	<0.30	<15	16	<0.050
954-4-7	-1.320076	37.691383	<4.0	<0.30	17	15	<0.050
955-1-1	-1.086777	37.804287	<4.0	<0.30	17	12	<0.050
955-1-2	-1.137418	37.787617	8.4	<0.30	17	8.4	0.059
955-1-3	-1.150035	37.824425	8.6	<0.30	19	11	0.083
955-1-4	-1.080907	37.8329	7.0	<0.30	<15	11	0.063
955-1-5	-1.133784	37.755475	9.6	<0.30	25	54	0.057
955-1-6	-1.182403	37.779025	5.1	<0.30	<15	6.5	<0.050
955-1-7	-1.026744	37.790322	<4.0	<0.30	21	15	<0.050
955-2-1	-0.900595	37.796714	9.5	<0.30	15	22	<0.050
955-2-2	-0.85815	37.811693	6.7	<0.30	19	18	<0.050
955-2-3	-0.896026	37.755916	7.5	0.47	28	18	<0.050
955-2-4	-0.995145	37.805433	5.5	0.31	30	18	<0.050
955-2-5	-1.021285	37.820115	6.2	<0.30	20	9.5	<0.050
955-2-6	-0.951302	37.751134	5.2	<0.30	24	16	<0.050
955-2-7	-0.94572	37.801636	4.4	<0.30	<15	6.9	<0.050
955-3-1	-1.081023	37.745131	5.8	<0.30	24	18	<0.050
955-3-2	-1.126682	37.727298	6.5	<0.30	20	22	0.064
955-3-3	-1.019735	37.726806	5.0	<0.30	24	14	<0.050
955-3-4	-1.052982	37.669844	10	<0.30	33	24	0.063
955-3-5	-1.082159	37.703287	<4.0	<0.30	17	12	<0.050
955-3-6	-1.107436	37.67214	4.0	<0.30	22	6.3	<0.050
955-3-7	-1.170785	37.694734	7.1	<0.30	23	15	<0.050
955-4-1	-0.865077	37.745684	7.2	0.30	28	20	<0.050

Muestra	x	y	Arsénico (As)	Cadmio (Cd)	Cromo (Cr)	Cobre (Cu)	Mercurio (Hg)
955-4-2	-1.018084	37.741185	4.8	<0.30	28	18	<0.050
955-4-3	-0.907325	37.726845	7.6	0.40	26	14	0.071
955-4-4	-0.86123	37.71082	7.9	<0.30	33	23	0.054
955-4-5	-0.951539	37.671933	11	0.59	22	18	0.097
955-4-6	-1.006378	37.670941	6.8	<0.30	17	9.5	0.059
955-4-7	-0.957436	37.722218	4.5	<0.30	16	11	0.051
956-1-1	-0.819275	37.80595	7.2	<0.30	20	9.7	<0.050
956-1-2	-0.803855	37.826124	6.0	<0.30	<15	8.9	<0.050
956-3-1	-0.840298	37.688105	8.4	<0.30	20	11	0.060
974-2-1	-1.915092	37.613280	4.2	<0.30	23	47	<0.050
974-2-2	-1.978132	37.629196	7.0	<0.30	<15	9.4	<0.050
974-2-3	-1.881921	37.603297	<4.0	<0.30	38	15	<0.050
974-2-4	-1.913579	37.624909	7.5	<0.30	19	16	<0.050
974-4-1	-1.865576	37.560524	4.4	<0.30	19	<5.0	<0.050
975-1-1	-1.717510	37.651816	12	0.47	16	17	<0.050
975-1-2	-1.722684	37.611497	<4.0	<0.30	<15	8.5	<0.050
975-1-3	-1.730170	37.589653	15	<0.30	16	14	<0.050
975-1-4	-1.789095	37.591862	<4.0	<0.30	19	30	<0.050
975-1-5	-1.786131	37.596616	5.1	<0.30	20	18	<0.050
975-1-6	-1.781405	37.601295	6.4	<0.30	27	17	<0.050
975-1-7	-1.716995	37.661391	<4.0	<0.30	<15	11	<0.050
975-2-1	-1.68239	37.655528	4.9	<0.30	23	21	<0.050
975-2-2	-1.659221	37.593109	6.8	<0.30	23	30	<0.050
975-2-3	-1.60719	37.618362	6.2	<0.30	15	9.8	0.14
975-2-4	-1.567993	37.611985	11	<0.30	<15	7.4	<0.050
975-2-5	-1.542149	37.634836	7.9	<0.30	19	18	0.24
975-2-6	-1.580451	37.662601	6.6	<0.30	17	15	<0.050
975-2-7	-1.541584	37.593997	13	<0.30	23	59	0.20
975-3-1	-1.718177	37.579742	12	<0.30	23	23	<0.050
975-3-2	-1.693099	37.558591	14	<0.30	33	31	<0.050
975-3-3	-1.704415	37.523637	8.0	<0.30	17	12	<0.050
975-3-4	-1.736728	37.526520	15	<0.30	30	26	0.080
975-3-5	-1.803386	37.506887	13	0.42	19	84	0.076
975-3-6	-1.813184	37.535785	14	<0.30	26	21	0.082
975-3-7	-1.802522	37.578460	4.1	<0.30	26	35	<0.050
975-4-1	-1.651801	37.56215	14	<0.30	21	14	0.066
975-4-2	-1.570405	37.58034	4.0	0.44	23	5.0	<0.050
975-4-3	-1.565412	37.558487	6.0	<0.30	23	12	<0.050
975-4-4	-1.554892	37.527889	25	0.45	30	17	<0.050
975-4-5	-1.579274	37.521793	17	0.44	<15	17	0.091
975-4-6	-1.618206	37.504377	32	<0.30	18	35	<0.050
975-4-7	-1.628114	37.5406	<4.0	<0.30	<15	<5.0	<0.050
976-1-1	-1.518021	37.64382	16	<0.30	79	29	0.093
976-1-2	-1.371511	37.601983	14	<0.30	23	17	0.075
976-1-3	-1.406172	37.614582	35	<0.30	22	15	0.055
976-1-4	-1.356101	37.64148	<4.0	<0.30	20	12	<0.050
976-1-5	-1.393129	37.663561	10	<0.30	35	18	<0.050
976-1-6	-1.471674	37.615513	20	<0.30	<15	25	<0.050
976-1-7	-1.507938	37.588365	7.1	<0.30	<15	6.0	0.19
976-2-1	-1.335512	37.662197	5.5	<0.30	18	11	<0.050
976-2-2	-1.341896	37.627554	6.0	<0.30	76	22	<0.050
976-2-3	-1.31859	37.608439	4.6	<0.30	19	11	<0.050
976-2-4	-1.261016	37.596953	7.7	<0.30	39	<5.0	<0.050
976-2-5	-1.220145	37.589886	11	<0.30	21	15	1.1
976-2-6	-1.209956	37.645651	11	<0.30	22	17	<0.050
976-2-7	-1.231623	37.648548	6.6	<0.30	23	16	<0.050
976-3-1	-1.375434	37.566209	6.5	<0.30	<15	<5.0	0.10
976-3-2	-1.433421	37.550038	6.8	<0.30	<15	<5.0	<0.050
976-3-3	-1.481749	37.564263	24	0.34	24	18	0.12
976-3-4	-1.480649	37.499417	160	0.82	22	44	<0.050
976-4-1	-1.308262	37.578349	15	<0.30	<15	8.7	<0.050
977-1-1	-1.140744	37.597246	8.3	<0.140	<15	<5.0	<0.050
977-1-2	-1.094797	37.617746	21	0.32	26	19	0.064
977-1-3	-1.07091	37.586648	29	<0.30	<15	8.7	0.094
977-1-4	-1.032146	37.629693	7.3	<0.30	22	11	0.065
977-1-5	-1.031583	37.66062	9.9	0.33	38	21	<0.050
977-1-6	-1.130271	37.636037	4.2	<0.30	<15	11	0.20
977-1-7	-1.158854	37.649607	5.3	<0.30	52	29	0.71
977-2-1	-0.889233	37.648775	21	0.44	28	16	<0.050
977-2-2	-0.931719	37.643848	24	<0.30	50	21	<0.050
977-2-3	-0.907153	37.607127	66	2.2	33	21	0.11
977-2-4	-0.958796	37.591428	35	5.9	17	32	0.47
977-2-5	-0.968224	37.622356	10	<0.30	22	20	0.14
977-2-6	-0.999938	37.606418	58	<0.30	24	14	0.074
977-2-7	-1.021226	37.64576	10	<0.30	31	19	0.064
977-3-1	-1.165098	37.576653	17	<0.30	31	17	<0.050

Muestra	x	y	Arsénico (As)	Cadmio (Cd)	Cromo (Cr)	Cobre (Cu)	Mercurio (Hg)
977-4-1	-0.900984	37.580992	7.7	<0.30	20	15	<0.050
977-4-2	-0.946188	37.58345	63	1.5	24	27	0.15
978-1-1	-0.794583	37.636683	35	0.63	32	40	<0.050
978-1-2	-0.777036	37.608269	17	<0.30	<15	16	0.088
978-1-3	-0.835927	37.633728	84	1.9	32	23	0.097
997B-1-1	-1.519267	37.47183	4.0	<0.30	25	19	0.053
997-1-1	-1.702924	37.482570	4.8	<0.30	17	16	<0.050
997-1-2	-1.731122	37.480331	12	<0.30	21	15	<0.050
997-1-3	-1.764574	37.464401	9.8	<0.30	20	16	<0.050
997-1-4	-1.795532	37.474460	17	0.40	66	53	0.18
997-2-1	-1.555651	37.433936	24	<0.30	<15	32	<0.050
997-2-2	-1.600068	37.438201	11	<0.30	<15	12	0.10
997-2-3	-1.527194	37.48494	22	<0.30	30	27	0.058
997-2-4	-1.61822	37.494571	53	<0.30	34	170	<0.050
997-2-5	-1.652222	37.482329	10	<0.30	<15	22	0.079
997-2-6	-1.619799	37.469954	20	<0.30	24	14	<0.050
997-2-7	-1.676268	37.441596	27	<0.30	32	31	0.053
997-4-1	-1.629445	37.37989	65	<0.30	<15	9.9	<0.050

Muestra	Níquel (Ni)	Plomo (Pb)	Zinc (Zn)	Antimonio (Sb)	Bario (Ba)	Cobalto (Co)	Molibdeno (Mo)
818-3-1	8.8	22	230	<1.0	62	3.9	<1.5
818-4-1	10	<13	17	<1.0	49	4.4	<1.5
818-4-2	11	<13	<17	<1.0	36	4.9	<1.5
818-4-3	7.3	<13	<17	<1.0	20	4.0	<1.5
819-3-1	14	14	20	<1.0	170	5.7	<1.5
819-3-2	4.5	<13	<17	<1.0	<15	1.3	<1.5
819-3-3	6.7	<13	<17	<1.0	43	2.7	<1.5
844-1-1	16	15	29	<1.0	48	5.8	<1.5
844-1-2	13	21	29	<1.0	75	5.0	<1.5
844-1-3	17	<13	26	<1.0	140	6.4	<1.5
844-2-1	11	<13	18	<1.0	82	4.7	<1.5
844-2-2	11	<13	<17	<1.0	67	4.8	<1.5
844-2-3	8.4	<13	<17	<1.0	54	4.0	<1.5
844-2-4	6.9	<13	<17	<1.0	31	3.1	<1.5
844-2-5	13	16	22	<1.0	62	4.9	<1.5
844-2-6	6.3	<13	<17	<1.0	15	1.6	<1.5
844-2-7	6.8	<13	<17	<1.0	50	2.8	<1.5
844-3-1	7.7	<13	<17	<1.0	44	2.8	<1.5
844-3-2	8.6	<13	<17	<1.0	50	3.1	<1.5
844-3-3	7.4	15	<17	<1.0	45	2.7	<1.5
844-3-4	6.9	<13	<17	<1.0	30	3.0	<1.5
844-4-1	15	<13	22	<1.0	37	8.4	<1.5
844-4-2	9.3	17	23	<1.0	57	3.9	<1.5
844-4-3	7.3	<13	<17	<1.0	38	3.1	<1.5
844-4-4	12	21	23	<1.0	91	4.8	1.6
844-4-5	6.1	<13	<17	<1.0	<15	3.0	<1.5
844-4-6	14	<13	<17	<1.0	51	4.5	<1.5
844-4-7	6.3	<13	<17	<1.0	48	2.8	<1.5
845-1-1	8.5	<13	<17	<1.0	39	3.2	<1.5
845-1-2	7.7	14	<17	<1.0	43	2.8	<1.5
845-1-3	7.7	<13	<17	<1.0	45	3.6	<1.5
845-1-4	8.2	14	<17	<1.0	50	3.1	1.6
845-1-5	8.4	20	22	<1.0	51	3.1	<1.5
845-1-6	21	14	39	<1.0	120	11	<1.5
845-1-7	15	19	24	<1.0	75	6.8	<1.5
845-3-1	15	17	24	<1.0	82	6.0	<1.5
845-3-2	11	<13	23	<1.0	71	5.6	<1.5
845-3-3	19	33	47	1.0	120	8.4	<1.5
845-3-4	13	29	30	<1.0	71	5.2	<1.5
845-3-5	14	19	28	1.3	75	5.4	<1.5
845-3-6	9.0	<13	<17	<1.0	57	3.9	<1.5
845-3-7	8.0	<13	<17	<1.0	43	3.8	<1.5
868-3-1	14	28	71	<1.0	86	5.5	<1.5
868-3-2	15	<13	25	<1.0	100	4.0	2.6
868-3-3	9.7	65	59	<1.0	56	3.3	<1.5
869-1-1	11	<13	<17	<1.0	39	4.6	<1.5
869-1-2	11	<13	<17	<1.0	71	4.5	<1.5
869-1-3	8.6	<13	<17	<1.0	43	3.2	<1.5
869-1-4	9.2	<13	<17	<1.0	77	3.9	<1.5
869-2-1	6.7	<13	<17	<1.0	46	3.0	<1.5
869-2-2	6.1	<13	<17	<1.0	36	2.6	<1.5
869-2-3	7.6	<13	<17	<1.0	55	3.6	<1.5
869-2-4	7.6	18	17	<1.0	34	3.4	<1.5
869-2-5	7.6	16	17	<1.0	42	3.4	<1.5
869-2-6	16	<13	<17	<1.0	90	6.9	<1.5
869-2-7	11	<13	22	<1.0	75	4.6	<1.5
869-3-1	8.5	<13	<17	<1.0	49	2.9	<1.5
869-3-2	8.5	<13	<17	<1.0	50	3.1	<1.5
869-3-3	14	<13	17	<1.0	110	3.6	<1.5
869-3-4	13	<13	19	<1.0	110	5.6	<1.5
869-4-1	7.0	<13	<17	<1.0	43	3.1	<1.5
869-4-2	6.9	<13	<17	<1.0	40	2.5	<1.5
869-4-3	12	<13	18	<1.0	320	4.5	<1.5
869-4-4	6.6	<13	<17	<1.0	51	2.8	<1.5
869-4-5	12	<13	19	<1.0	86	4.6	<1.5
869-4-6	9.5	<13	<17	<1.0	72	4.0	<1.5
869-4-7	5.1	<13	<17	<1.0	44	2.1	<1.5
870-1-1	10	<13	19	<1.0	73	4.1	<1.5
870-1-2	14	17	23	<1.0	79	5.4	<1.5
870-1-3	12	20	23	<1.0	90	5.0	<1.5
870-1-4	10	14	<17	<1.0	56	4.2	<1.5
870-3-1	10	<13	<17	<1.0	73	4.5	<1.5
870-3-2	8.8	<13	<17	<1.0	57	3.0	<1.5
870-3-3	8.1	<13	<17	<1.0	63	2.9	<1.5
870-3-4	13	16	24	<1.0	110	5.8	<1.5
888-4-1	29	35	50	<1.0	210	10	<1.5

Muestra	Níquel (Ni)	Plomo (Pb)	Zinc (Zn)	Antimonio (Sb)	Bario (Ba)	Cobalto (Co)	Molibdeno (Mo)
889-1-1	13	<13	20	<1.0	42	6.8	<1.5
889-2-1	7.4	<13	<17	<1.0	50	2.6	<1.5
889-2-2	3.4	<13	<17	<1.0	42	3.0	<1.5
889-2-3	17	25	36	<1.0	70	7.2	<1.5
889-2-4	14	15	21	<1.0	87	6.4	<1.5
889-3-1	13	<13	18	<1.0	17	3.1	<1.5
889-3-2	28	40	59	<1.0	190	12	<1.5
889-3-3	19	<13	26	<1.0	58	4.6	<1.5
889-3-4	38	13	42	<1.0	350	15	2.7
889-4-1	21	31	110	1.3	260	7.1	<1.5
889-4-2	9.8	<13	25	<1.0	130	3.4	<1.5
889-4-3	16	<13	26	<1.0	130	4.8	<1.5
889-4-4	6.5	15	19	<1.0	46	2.2	<1.5
889-4-5	14	50	92	4.4	64	2.9	<1.5
889-4-6	13	<13	19	<1.0	100	3.6	<1.5
889-4-7	11	17	27	<1.0	73	4.2	<1.5
890-1-1	12	23	27	<1.0	92	5.1	<1.5
890-1-2	7.4	<13	<17	<1.0	57	3.0	<1.5
890-1-3	13	<13	20	<1.0	67	4.5	<1.5
890-1-4	14	39	34	<1.0	88	5.3	<1.5
890-1-5	12	<13	<17	<1.0	40	3.1	<1.5
890-1-6	64	22	25	<1.0	240	5.8	<1.5
890-1-7	13	22	26	<1.0	92	5.6	<1.5
890-2-1	12	<13	19	<1.0	100	5.1	<1.5
890-2-2	13	<13	<17	<1.0	130	4.5	<1.5
890-2-3	9.0	<13	<17	<1.0	70	3.4	<1.5
890-2-4	11	<13	<17	<1.0	85	3.4	<1.5
890-3-1	8.4	16	<17	<1.0	55	3.5	<1.5
890-3-2	12	16	23	<1.0	350	3.0	<1.5
890-3-3	48	22	30	<1.0	180	7.1	<1.5
890-3-4	12	<13	23	<1.0	68	2.9	<1.5
890-3-5	5.6	<13	<17	<1.0	30	1.9	<1.5
890-3-6	14	<13	20	<1.0	650	3.0	<1.5
890-3-7	15	<13	23	<1.0	82	6.3	<1.5
890-4-1	8.8	<13	<17	<1.0	53	2.4	<1.5
890-4-2	18	13	22	<1.0	280	7.0	1.6
890-4-3	7.9	<13	<17	<1.0	50	2.2	<1.5
890-4-4	13	<13	18	<1.0	110	3.7	<1.5
890-4-5	3.7	<13	<17	<1.0	34	1.0	<1.5
890-4-6	14	<13	20	<1.0	81	6.2	<1.5
890-4-7	26	<13	<17	<1.0	470	3.7	<1.5
891-1-1	16	19	23	<1.0	100	5.7	<1.5
891-1-2	27	<13	25	<1.0	53	10	1.6
891-1-3	14	16	20	<1.0	94	4.3	<1.5
891-1-4	12	<13	17	<1.0	140	4.2	<1.5
891-1-5	17	<13	24	<1.0	74	4.4	<1.5
891-1-6	11	<13	<17	<1.0	95	3.7	<1.5
891-1-7	26	<13	35	<1.0	130	6.3	1.9
891-2-1	6.9	<13	23	<1.0	<15	1.9	3.2
891-2-2	12	<13	18	<1.0	80	3.2	<1.5
891-2-3	13	<13	19	<1.0	100	4.0	<1.5
891-2-4	9.9	<13	25	<1.0	64	4.9	<1.5
891-2-5	14	<13	23	<1.0	100	4.6	<1.5
891-2-6	7.7	<13	<17	<1.0	50	2.6	<1.5
891-2-7	9.6	<13	<17	<1.0	59	4.2	<1.5
891-3-1	12	<13	19	<1.0	98	3.5	<1.5
891-3-2	12	19	24	<1.0	96	4.4	<1.5
891-3-3	16	15	19	<1.0	100	5.7	<1.5
891-3-4	16	<13	37	<1.0	65	5.5	<1.5
891-3-5	22	20	31	<1.0	150	9.0	<1.5
891-3-6	16	20	24	<1.0	120	8.2	<1.5
891-3-7	27	<13	23	<1.0	49	9.4	3.1
891-4-1	8.5	<13	<17	<1.0	150	3.0	<1.5
891-4-2	9.5	17	17	<1.0	61	3.5	<1.5
891-4-3	8.1	<13	26	<1.0	68	2.6	<1.5
891-4-4	18	16	25	<1.0	170	8.7	<1.5
891-4-5	38	<13	52	<1.0	300	15	<1.5
891-4-6	15	<13	22	<1.0	280	3.6	<1.5
891-4-7	3.6	<13	<17	<1.0	32	1.4	<1.5
892-1-1	8.5	<13	<17	<1.0	56	3.3	<1.5
892-1-2	26	<13	40	<1.0	1200	6.2	<1.5
892-1-3	15	14	25	<1.0	87	6.4	<1.5
892-1-4	15	25	32	<1.0	110	6.5	<1.5
892-1-5	17	30	38	<1.0	150	7.2	<1.5
892-1-6	10	<13	21	<1.0	95	6.4	<1.5
892-1-7	11	<13	<17	<1.0	88	4.1	<1.5

Muestra	Níquel (Ni)	Plomo (Pb)	Zinc (Zn)	Antimonio (Sb)	Bario (Ba)	Cobalto (Co)	Molibdeno (Mo)
892-2-1	14	<13	27	<1.0	72	5.8	<1.5
892-3-1	18	<13	23	<1.0	460	8.1	<1.5
892-3-2	18	<13	32	<1.0	42	4.6	<1.5
892-3-3	21	15	50	<1.0	100	5.3	<1.5
892-3-4	15	<13	33	<1.0	63	3.7	1.7
892-3-5	17	14	30	<1.0	73	5.9	<1.5
892-3-6	20	21	40	<1.0	77	4.6	<1.5
892-3-7	6.0	32	22	<1.0	180	1.8	<1.5
892-4-1	11	<13	21	<1.0	85	3.4	<1.5
909-2-1	11	<13	25	<1.0	65	3.5	<1.5
909-2-2	19	17	30	<1.0	78	5.9	<1.5
909-2-3	19	<13	41	<1.0	120	6.9	<1.5
909-4-1	13	16	28	<1.0	70	5.4	<1.5
909-4-2	17	24	48	<1.0	110	6.9	<1.5
909-4-3	22	15	50	<1.0	40	6.4	<1.5
909-4-4	10	14	23	<1.0	81	4.8	<1.5
910-1-1	6.1	<13	<17	<1.0	22	2.0	<1.5
910-1-2	4.7	<13	<17	<1.0	24	1.9	<1.5
910-1-3	11	<13	<17	<1.0	25	2.7	<1.5
910-1-4	8.7	14	<17	<1.0	41	3.7	<1.5
910-1-5	6.8	<13	<17	<1.0	46	2.9	<1.5
910-1-6	8.5	<13	17	<1.0	46	3.3	<1.5
910-1-7	12	30	32	<1.0	100	5.4	<1.5
910-2-1	17	18	34	<1.0	140	7.7	<1.5
910-2-2	6.4	<13	<17	<1.0	41	2.3	<1.5
910-2-3	24	16	25	<1.0	68	11	1.7
910-2-4	17	15	33	<1.0	56	6.3	<1.5
910-2-5	8.0	17	17	<1.0	49	2.9	<1.5
910-2-6	11	<13	21	<1.0	120	3.8	<1.5
910-2-7	5.7	<13	<17	1.0	44	1.9	<1.5
910-3-1	25	51	57	<1.0	220	11	<1.5
910-3-2	15	29	39	<1.0	96	6.3	<1.5
910-3-3	13	16	35	<1.0	72	6.1	<1.5
910-3-4	17	23	23	<1.0	92	7.6	<1.5
910-3-5	14	<13	19	<1.0	43	5.0	<1.5
910-3-6	24	21	51	<1.0	170	9.3	<1.5
910-3-7	16	<13	30	<1.0	65	6.3	<1.5
910-4-1	9.4	17	24	<1.0	76	4.4	<1.5
910-4-2	6.4	<13	<17	<1.0	75	2.9	<1.5
910-4-3	5.2	<13	<17	<1.0	23	1.9	<1.5
910-4-4	17	48	31	1.2	120	7.6	<1.5
910-4-5	15	22	31	<1.0	120	6.7	<1.5
910-4-6	14	<13	26	<1.0	130	5.1	<1.5
910-4-7	16	26	26	<1.0	91	6.6	<1.5
911-1-1	15	<13	54	<1.0	95	5.3	<1.5
911-1-2	9.7	<13	19	<1.0	26	3.4	<1.5
911-1-3	34	18	40	<1.0	140	17	4.3
911-1-4	17	<13	24	<1.0	150	6.9	<1.5
911-1-5	14	<13	30	<1.0	76	5.7	<1.5
911-1-6	13	40	25	<1.0	170	5.4	<1.5
911-1-7	9.9	<13	21	<1.0	92	3.3	<1.5
911-2-1	6.4	<13	<17	<1.0	58	2.0	1.6
911-2-2	6.1	<13	<17	<1.0	49	2.0	<1.5
911-2-3	14	<13	19	<1.0	190	2.5	<1.5
911-2-4	20	<13	26	<1.0	140	5.7	<1.5
911-2-5	19	19	29	<1.0	120	7.9	<1.5
911-2-6	12	<13	<17	<1.0	660	5.8	<1.5
911-2-7	27	28	46	<1.0	190	12	<1.5
911-3-1	19	18	52	<1.0	120	7.3	<1.5
911-3-2	17	15	27	<1.0	80	6.8	<1.5
911-3-3	13	<13	19	<1.0	94	5.5	<1.5
911-3-4	26	36	51	<1.0	210	10	<1.5
911-3-5	18	19	26	<1.0	180	7.7	<1.5
911-3-6	12	<13	20	<1.0	56	4.9	<1.5
911-3-7	9.4	<13	<17	6.4	31	3.9	<1.5
911-4-1	19	31	39	<1.0	120	7.2	<1.5
911-4-2	25	<13	30	<1.0	2700	6.9	<1.5
911-4-3	10	18	17	<1.0	47	2.7	<1.5
911-4-4	20	<13	28	<1.0	140	6.4	<1.5
911-4-5	17	<13	27	<1.0	300	5.2	<1.5
911-4-6	12	<13	21	<1.0	370	4.3	<1.5
911-4-7	22	<13	34	1.1	360	6.5	<1.5
912-1-1	14	<13	<17	<1.0	100	5.9	<1.5
912-1-2	9.7	<13	<17	<1.0	20	4.0	<1.5
912-1-3	16	<13	<17	<1.0	61	4.3	<1.5
912-1-4	24	<13	42	<1.0	75	7.5	4.0

Muestra	Níquel (Ni)	Plomo (Pb)	Zinc (Zn)	Antimonio (Sb)	Bario (Ba)	Cobalto (Co)	Molibdeno (Mo)
912-1-5	32	21	140	<1.0	85	8.3	<1.5
912-1-6	9.4	<13	<17	<1.0	75	2.0	<1.5
912-1-7	22	<13	34	<1.0	61	4.4	<1.5
912-2-1	23	<13	31	<1.0	160	5.3	<1.5
912-2-2	11	<13	20	<1.0	83	2.9	<1.5
912-2-3	10	<13	20	<1.0	71	2.6	1.8
912-2-4	15	<13	21	<1.0	91	4.4	6.3
912-2-5	16	13	28	<1.0	87	5.1	<1.5
912-2-6	15	<13	21	<1.0	97	4.2	<1.5
912-2-7	8.1	<13	<17	<1.0	130	2.7	<1.5
912-3-1	15	<13	26	<1.0	44	2.5	1.7
912-3-2	11	<13	23	<1.0	98	2.9	<1.5
912-3-3	22	<13	30	<1.0	48	4.5	<1.5
912-3-4	27	25	38	<1.0	140	7.2	<1.5
912-3-5	23	<13	34	<1.0	110	4.3	1.6
912-3-6	25	<13	32	<1.0	300	5.7	<1.5
912-3-7	15	<13	34	<1.0	130	6.1	<1.5
912-4-1	26	<13	18	<1.0	160	10.0	<1.5
912-4-2	11	<13	<17	<1.0	230	3.5	<1.5
912-4-3	12	<13	22	<1.0	170	2.6	1.9
912-4-4	18	<13	32	<1.0	110	4.3	1.8
912-4-5	28	14	44	<1.0	100	6.0	1.7
912-4-6	19	<13	25	<1.0	56	7.9	7.3
912-4-7	15	<13	21	<1.0	78	3.7	<1.5
913-1-1	8.9	<13	<17	<1.0	34	3.1	2.7
913-1-2	27	34	46	<1.0	130	10	<1.5
913-1-3	16	<13	23	<1.0	92	5.9	<1.5
913-1-4	190	19	35	<1.0	190	13	<1.5
913-1-5	27	<13	38	<1.0	120	6.3	<1.5
913-1-6	10.0	<13	<17	<1.0	130	2.8	<1.5
913-1-7	22	<13	30	<1.0	220	5.0	<1.5
913-3-1	23	<13	22	<1.0	110	9.4	<1.5
913-3-2	19	<13	22	<1.0	57	6.0	<1.5
913-3-3	22	22	28	<1.0	110	9.6	<1.5
913-3-4	15	18	21	<1.0	100	6.4	<1.5
913-3-5	28	<13	41	<1.0	390	11	3.9
913-3-6	44	28	34	<1.0	280	33	<1.5
913-3-7	26	18	22	<1.0	110	14	<1.5
913-4-1	8.2	<13	<17	<1.0	190	2.5	<1.5
930-2-1	10	13	19	<1.0	53	3.8	<1.5
930-2-2	18	19	32	<1.0	120	8.3	<1.5
930-2-3	12	17	30	<1.0	92	4.7	<1.5
930-2-4	11	15	22	<1.0	94	5.2	<1.5
931-1-1	11	<13	18	<1.0	69	3.3	<1.5
931-1-2	20	<13	20	<1.0	160	5.9	<1.5
931-1-3	11	<13	<17	<1.0	110	5.1	<1.5
931-1-4	12	31	28	<1.0	75	5.1	<1.5
931-1-5	18	24	33	<1.0	140	7.5	<1.5
931-1-6	15	<13	27	<1.0	120	6.0	<1.5
931-1-7	12	<13	<17	<1.0	67	4.3	<1.5
931-2-1	12	29	25	<1.0	100	5.5	<1.5
931-2-2	9.3	<13	21	<1.0	210	4.1	<1.5
931-2-3	22	<13	32	<1.0	360	7.7	<1.5
931-2-4	9.8	<13	19	<1.0	200	3.2	<1.5
931-2-5	14	<13	31	<1.0	130	5.2	<1.5
931-2-6	15	<13	24	<1.0	150	6.4	<1.5
931-2-7	9.2	<13	19	<1.0	91	3.4	<1.5
931-3-1	21	<13	24	<1.0	700	7.7	<1.5
931-3-2	9.0	<13	<17	<1.0	47	3.6	<1.5
931-3-3	13	<13	19	<1.0	76	5.4	<1.5
931-4-1	<3.0	<13	<17	<1.0	23	<1.0	<1.5
931-4-2	9.6	<13	19	<1.0	480	3.1	<1.5
931-4-3	11	16	21	<1.0	110	4.5	<1.5
931-4-4	10	<13	<17	<1.0	130	4.1	<1.5
932-1-1	16	20	34	<1.0	110	5.3	<1.5
932-1-2	19	<13	25	<1.0	43	7.0	<1.5
932-1-3	18	<13	34	<1.0	35	3.8	<1.5
932-1-4	12	38	26	<1.0	79	4.2	<1.5
932-1-5	21	<13	29	<1.0	170	8.0	<1.5
932-1-6	17	20	33	<1.0	100	7.2	<1.5
932-1-7	14	20	24	<1.0	110	5.6	<1.5
932-2-1	24	<13	37	<1.0	590	7.0	<1.5
932-2-2	19	<13	31	<1.0	80	5.5	<1.5
932-2-3	32	18	51	<1.0	220	12	<1.5
932-2-4	10.0	<13	<17	<1.0	300	2.5	<1.5
932-2-5	16	<13	41	<1.0	40	6.1	<1.5

Muestra	Níquel (Ni)	Plomo (Pb)	Zinc (Zn)	Antimonio (Sb)	Bario (Ba)	Cobalto (Co)	Molibdeno (Mo)
932-2-6	15	<13	22	<1.0	130	4.9	<1.5
932-2-7	14	<13	38	<1.0	460	5.2	<1.5
932-3-1	14	<13	22	<1.0	76	4.6	<1.5
932-3-2	18	23	35	<1.0	140	6.8	<1.5
932-3-3	14	<13	20	<1.0	78	4.0	<1.5
932-3-4	6.9	<13	<17	<1.0	78	2.5	<1.5
932-3-5	8.8	20	<17	<1.0	170	2.8	<1.5
932-3-6	33	34	49	<1.0	180	10	<1.5
932-3-7	33	15	90	<1.0	310	16	<1.5
932-4-1	14	<13	<17	<1.0	410	5.7	<1.5
932-4-2	12	<13	23	<1.0	110	4.6	<1.5
932-4-3	16	13	25	<1.0	94	5.8	<1.5
932-4-4	9.1	<13	<17	<1.0	<15	3.8	<1.5
932-4-5	8.5	16	21	<1.0	450	3.7	<1.5
932-4-6	4.3	<13	<17	<1.0	<15	<1.0	<1.5
932-4-7	22	25	32	<1.0	210	9.5	<1.5
933-1-1	15	<13	<17	<1.0	130	2.6	<1.5
933-1-2	8.0	<13	<17	<1.0	120	3.6	<1.5
933-1-3	13	<13	25	<1.0	90	5.2	<1.5
933-1-4	27	32	40	<1.0	190	11	<1.5
933-1-5	25	24	56	<1.0	150	9.6	<1.5
933-1-6	16	<13	30	<1.0	35	3.2	1.9
933-1-7	6.2	<13	<17	<1.0	60	1.8	<1.5
933-2-1	27	21	22	<1.0	160	14	<1.5
933-2-2	21	14	23	<1.0	170	9.7	<1.5
933-2-3	11	<13	17	<1.0	150	4.1	<1.5
933-2-4	16	<13	18	<1.0	340	4.2	<1.5
933-2-5	8.1	<13	25	<1.0	38	1.9	<1.5
933-2-6	21	<13	36	<1.0	170	9.0	<1.5
933-2-7	16	<13	26	<1.0	290	5.2	<1.5
933-3-1	13	<13	23	<1.0	36	3.9	1.9
933-3-2	5.4	<13	<17	<1.0	33	2.3	<1.5
933-3-3	16	<13	38	<1.0	140	4.8	<1.5
933-3-4	28	48	64	1.0	130	10	<1.5
933-3-5	13	<13	25	<1.0	85	3.5	<1.5
933-3-6	28	<13	45	<1.0	81	7.6	<1.5
933-3-7	8.3	99	87	<1.0	170	2.0	<1.5
933-4-1	20	<13	41	<1.0	650	4.2	<1.5
933-4-2	18	<13	30	<1.0	170	6.3	1.6
933-4-3	6.0	<13	<17	<1.0	120	2.2	<1.5
933-4-4	18	<13	30	<1.0	120	5.3	<1.5
933-4-5	11	<13	<17	<1.0	89	4.9	<1.5
933-4-6	19	45	68	<1.0	110	7.6	<1.5
933-4-7	16	17	26	<1.0	86	8.1	<1.5
934-1-1	19	<13	19	<1.0	220	8.8	2.0
934-1-2	16	21	62	<1.0	120	5.7	<1.5
934-1-3	14	<13	44	<1.0	38	6.0	<1.5
934-1-4	16	<13	26	<1.0	130	5.1	<1.5
934-1-5	27	<13	46	<1.0	79	7.0	<1.5
934-1-6	21	40	83	<1.0	200	8.0	<1.5
934-1-7	23	39	60	<1.0	180	9.2	<1.5
934-2-1	24	14	36	<1.0	92	8.1	<1.5
934-2-2	25	18	46	<1.0	77	5.3	<1.5
934-2-3	21	<13	30	<1.0	32	5.0	1.8
934-3-1	11	<13	<17	<1.0	73	3.9	<1.5
934-3-2	16	25	27	<1.0	140	6.9	<1.5
934-3-3	15	<13	21	<1.0	110	4.3	<1.5
934-3-4	16	14	23	<1.0	150	6.1	<1.5
934-3-5	19	<13	24	<1.0	210	5.3	<1.5
934-3-6	9.7	27	21	4.4	260	3.3	<1.5
934-3-7	13	<13	<17	<1.0	120	5.3	<1.5
934-4-1	17	<13	17	<1.0	120	5.3	<1.5
934-4-2	16	22	24	<1.0	120	6.9	<1.5
934-4-3	14	<13	29	<1.0	110	5.2	<1.5
934-4-4	8.6	<13	<17	<1.0	120	2.9	<1.5
935-3-1	10	<13	<17	<1.0	93	4.3	<1.5
952-2-1	4.3	<13	<17	<1.0	32	1.9	<1.5
952-2-2	9.3	<13	<17	<1.0	870	3.2	<1.5
952-2-3	16	<13	26	<1.0	450	5.6	<1.5
952-2-4	7.8	19	<17	<1.0	360	3.3	<1.5
952-4-1	11	<13	<17	<1.0	170	4.4	<1.5
952-4-2	33	16	46	<1.0	190	10	<1.5
952-4-3	17	14	29	<1.0	190	6.2	<1.5
952-4-4	6.8	<13	<17	<1.0	140	2.6	<1.5
953-1-1	14	13	38	<1.0	130	5.0	<1.5
953-1-2	16	<13	28	<1.0	290	5.6	<1.5

Muestra	Níquel (Ni)	Plomo (Pb)	Zinc (Zn)	Antimonio (Sb)	Bario (Ba)	Cobalto (Co)	Molibdeno (Mo)
953-1-3	9.6	<13	<17	<1.0	130	2.6	<1.5
953-1-4	11	<13	22	<1.0	390	3.3	<1.5
953-1-5	9.3	<13	<17	<1.0	180	2.1	<1.5
953-1-6	14	<13	24	<1.0	110	5.4	<1.5
953-1-7	9.5	<13	<17	<1.0	150	2.8	<1.5
953-2-1	15	23	27	<1.0	110	6.1	<1.5
953-2-2	23	120	91	<1.0	180	10	<1.5
953-2-3	9.0	<13	17	<1.0	190	3.7	<1.5
953-2-4	13	<13	27	<1.0	130	4.7	<1.5
953-2-5	24	13	52	<1.0	270	7.4	<1.5
953-2-6	19	<13	49	<1.0	44	6.0	1.9
953-2-7	17	35	39	<1.0	130	6.6	<1.5
953-3-1	16	<13	22	<1.0	450	4.3	<1.5
953-3-2	26	<13	43	<1.0	42	7.8	<1.5
953-3-3	27	63	330	14	210	9.3	4.0
953-3-4	19	<13	36	<1.0	95	5.3	<1.5
953-3-5	11	<13	33	<1.0	50	4.7	<1.5
953-3-6	24	<13	43	<1.0	170	10	<1.5
953-3-7	12	<13	22	<1.0	240	4.6	<1.5
953-4-1	18	<13	19	<1.0	96	7.7	<1.5
953-4-2	18	<13	30	<1.0	170	6.7	<1.5
953-4-3	12	<13	20	<1.0	130	4.3	<1.5
953-4-4	19	<13	<17	<1.0	54	7.2	<1.5
953-4-5	32	28	59	<1.0	94	10	<1.5
953-4-6	19	24	29	<1.0	150	7.4	<1.5
953-4-7	31	<13	45	<1.0	170	11	15
954-1-1	31	<13	35	2.0	130	8.4	<1.5
954-1-2	13	<13	21	<1.0	320	4.5	<1.5
954-1-3	13	38	31	<1.0	80	4.1	<1.5
954-1-4	8.2	15	19	<1.0	160	3.7	<1.5
954-1-5	23	16	47	<1.0	260	8.4	<1.5
954-1-6	11	<13	<17	<1.0	580	6.4	<1.5
954-1-7	24	<13	30	<1.0	72	13	<1.5
954-2-1	19	16	31	<1.0	55	9.4	<1.5
954-2-2	19	21	28	<1.0	120	9.4	<1.5
954-2-3	15	<13	25	<1.0	150	7.3	<1.5
954-2-4	13	17	23	<1.0	65	5.2	<1.5
954-2-5	19	<13	26	<1.0	110	8.3	<1.5
954-2-6	7.6	<13	<17	<1.0	50	3.6	<1.5
954-2-7	21	<13	22	<1.0	120	12	<1.5
954-3-1	21	52	48	1.4	370	8.9	<1.5
954-3-2	30	17	57	<1.0	96	9.1	2.0
954-3-3	15	22	20	<1.0	160	6.3	<1.5
954-3-4	19	<13	30	<1.0	54	4.5	<1.5
954-3-5	16	20	26	<1.0	120	7.0	<1.5
954-3-6	20	18	32	<1.0	110	7.9	<1.5
954-3-7	20	<13	36	<1.0	68	7.6	<1.5
954-4-1	14	<13	19	<1.0	140	6.0	<1.5
954-4-2	20	<13	31	1.3	110	15	<1.5
954-4-3	26	23	42	<1.0	170	11	<1.5
954-4-4	26	17	38	<1.0	67	14	<1.5
954-4-5	19	17	24	<1.0	100	8.2	<1.5
954-4-6	7.9	<13	<17	<1.0	57	6.4	<1.5
954-4-7	15	<13	26	<1.0	670	4.3	<1.5
955-1-1	18	15	31	<1.0	83	5.0	<1.5
955-1-2	14	14	22	<1.0	100	6.2	<1.5
955-1-3	14	19	23	<1.0	150	6.8	<1.5
955-1-4	13	<13	18	<1.0	120	5.6	<1.5
955-1-5	17	17	92	<1.0	110	7.2	<1.5
955-1-6	12	<13	<17	<1.0	92	5.3	<1.5
955-1-7	20	<13	35	<1.0	110	5.2	<1.5
955-2-1	19	28	24	<1.0	69	13	<1.5
955-2-2	15	16	47	<1.0	110	5.3	<1.5
955-2-3	24	29	61	<1.0	140	8.1	<1.5
955-2-4	23	22	59	<1.0	120	7.5	<1.5
955-2-5	15	14	24	<1.0	140	6.0	<1.5
955-2-6	20	26	44	<1.0	130	7.0	<1.5
955-2-7	12	<13	17	<1.0	240	4.8	<1.5
955-3-1	18	18	43	<1.0	120	6.7	<1.5
955-3-2	25	<13	31	<1.0	75	14	<1.5
955-3-3	21	23	40	<1.0	87	6.5	<1.5
955-3-4	27	28	64	<1.0	130	11	<1.5
955-3-5	21	19	47	<1.0	42	8.5	<1.5
955-3-6	25	<13	47	<1.0	57	11	<1.5
955-3-7	23	18	39	<1.0	92	11	<1.5
955-4-1	23	38	60	<1.0	140	8.0	<1.5

Muestra	Níquel (Ni)	Plomo (Pb)	Zinc (Zn)	Antimonio (Sb)	Bario (Ba)	Cobalto (Co)	Molibdeno (Mo)
955-4-2	24	16	44	<1.0	68	6.7	<1.5
955-4-3	20	34	64	<1.0	120	7.1	<1.5
955-4-4	31	60	61	<1.0	110	12	<1.5
955-4-5	18	160	130	1.8	120	7.3	<1.5
955-4-6	15	26	35	<1.0	81	7.1	<1.5
955-4-7	17	15	30	<1.0	130	5.8	<1.5
956-1-1	14	27	34	<1.0	99	5.9	<1.5
956-1-2	10	21	34	<1.0	75	4.1	<1.5
956-3-1	11	40	24	<1.0	230	5.3	<1.5
974-2-1	27	13	54	<1.0	62	11	<1.5
974-2-2	14	<13	24	<1.0	52	5.7	<1.5
974-2-3	43	<13	85	<1.0	31	17	<1.5
974-2-4	20	<13	35	<1.0	75	9.0	<1.5
974-4-1	25	<13	20	<1.0	24	7.7	<1.5
975-1-1	24	62	210	<1.0	65	9.8	<1.5
975-1-2	12	<13	<17	<1.0	19	2.7	<1.5
975-1-3	29	<13	63	<1.0	24	12	<1.5
975-1-4	32	<13	72	<1.0	19	13	<1.5
975-1-5	25	<13	46	<1.0	27	10	<1.5
975-1-6	32	<13	73	<1.0	40	14	<1.5
975-1-7	20	<13	38	<1.0	43	10	<1.5
975-2-1	23	<13	45	<1.0	340	7.8	<1.5
975-2-2	25	24	49	1.0	290	10	<1.5
975-2-3	17	13	29	<1.0	61	6.9	<1.5
975-2-4	19	14	50	<1.0	240	4.5	1.7
975-2-5	32	29	63	<1.0	71	10	<1.5
975-2-6	19	22	38	<1.0	150	8.4	<1.5
975-2-7	28	25	47	2.8	220	16	<1.5
975-3-1	28	<13	58	<1.0	48	11	<1.5
975-3-2	34	18	76	<1.0	94	15	<1.5
975-3-3	20	<13	37	<1.0	85	8.3	<1.5
975-3-4	33	19	71	<1.0	79	14	<1.5
975-3-5	34	67	160	3.5	120	13	<1.5
975-3-6	30	18	67	<1.0	63	13	<1.5
975-3-7	35	16	75	<1.0	17	15	<1.5
975-4-1	20	29	57	2.5	130	9.9	<1.5
975-4-2	28	18	120	<1.0	37	11	<1.5
975-4-3	18	<13	34	4.7	31	26	<1.5
975-4-4	30	66	140	1.8	140	13	<1.5
975-4-5	22	76	200	21	160	9.7	<1.5
975-4-6	39	55	150	6.1	150	17	<1.5
975-4-7	17	<13	26	<1.0	35	8.9	<1.5
976-1-1	34	51	50	<1.0	440	12	<1.5
976-1-2	21	150	74	2.1	180	8.5	<1.5
976-1-3	25	15	47	<1.0	140	6.5	<1.5
976-1-4	19	<13	33	<1.0	270	3.7	<1.5
976-1-5	27	34	48	1.3	130	9.4	<1.5
976-1-6	17	44	39	2.9	100	9.7	<1.5
976-1-7	11	41	67	6.0	1200	6.0	<1.5
976-2-1	21	31	37	<1.0	66	9.4	<1.5
976-2-2	31	45	79	<1.0	2000	13	<1.5
976-2-3	27	<13	56	<1.0	43	12	<1.5
976-2-4	38	<13	<17	1.4	110	38	1.7
976-2-5	19	26	37	<1.0	100	9.5	<1.5
976-2-6	20	26	28	1.1	110	11	<1.5
976-2-7	19	<13	29	<1.0	99	10	<1.5
976-3-1	4.8	<13	<17	<1.0	48	1.2	<1.5
976-3-2	7.4	<13	21	<1.0	30	2.4	<1.5
976-3-3	24	61	83	2.9	150	12	<1.5
976-3-4	47	55	210	15	39	23	<1.5
976-4-1	13	25	55	1.2	350	5.2	<1.5
977-1-1	25	<13	<17	<1.0	26	11	<1.5
977-1-2	24	44	52	2.1	140	11	<1.5
977-1-3	16	15	64	<1.0	43	5.5	<1.5
977-1-4	18	49	39	<1.0	140	7.3	<1.5
977-1-5	28	29	67	<1.0	140	10	<1.5
977-1-6	13	25	39	2.2	44	8.3	<1.5
977-1-7	71	19	70	<1.0	240	23	<1.5
977-2-1	19	990	110	5.9	170	8.6	<1.5
977-2-2	30	100	42	<1.0	150	11	<1.5
977-2-3	22	830	680	9.7	210	8.8	<1.5
977-2-4	20	680	520	7.8	110	8.6	<1.5
977-2-5	30	15	57	1.3	45	10	<1.5
977-2-6	30	420	51	6.2	140	14	3.1
977-2-7	25	160	310	1.9	130	8.8	<1.5
977-3-1	32	48	71	1.2	110	14	<1.5

Muestra	Níquel (Ni)	Plomo (Pb)	Zinc (Zn)	Antimonio (Sb)	Bario (Ba)	Cobalto (Co)	Molibdeno (Mo)
977-4-1	18	33	41	<1.0	270	7.4	<1.5
977-4-2	23	190	430	5.3	140	10	<1.5
978-1-1	28	320	200	12	190	13	<1.5
978-1-2	15	920	47	4.6	54	6.9	<1.5
978-1-3	40	1100	690	29	640	16	<1.5
997B-1-1	34	<13	97	1.5	38	16	<1.5
997-1-1	19	<13	34	<1.0	250	8.7	<1.5
997-1-2	20	19	41	<1.0	100	9.4	<1.5
997-1-3	23	28	43	<1.0	110	12	<1.5
997-1-4	47	60	100	4.2	620	25	<1.5
997-2-1	44	26	77	2.5	42	18	<1.5
997-2-2	13	<13	22	<1.0	110	5.4	<1.5
997-2-3	37	48	120	3.0	100	15	<1.5
997-2-4	46	17	86	2.0	73	23	<1.5
997-2-5	15	16	34	1.2	100	10	<1.5
997-2-6	26	37	75	2.5	94	12	<1.5
997-2-7	34	39	75	2.5	150	18	<1.5
997-4-1	17	64	40	13	57	9.6	3.6

Muestra	Selenio (Se)	Estaño (Sn)	Vanadio (V)	Berilio (Be)	Talio (Tl)	Manganeso (Mn)
818-3-1	<2.0	<6.0	15	<1.0	<5.0	420
818-4-1	<2.0	<6.0	18	<1.0	<5.0	100
818-4-2	<2.0	<6.0	19	<1.0	<5.0	81
818-4-3	<2.0	<6.0	14	<1.0	<5.0	64
819-3-1	<2.0	<6.0	25	1.4	<5.0	200
819-3-2	<2.0	<6.0	<10	<1.0	<5.0	60
819-3-3	<2.0	<6.0	10	<1.0	<5.0	74
844-1-1	<2.0	<6.0	22	<1.0	<5.0	190
844-1-2	<2.0	<6.0	18	<1.0	<5.0	240
844-1-3	<2.0	<6.0	30	<1.0	<5.0	190
844-2-1	<2.0	<6.0	18	<1.0	<5.0	180
844-2-2	<2.0	<6.0	20	<1.0	<5.0	150
844-2-3	<2.0	<6.0	12	<1.0	<5.0	120
844-2-4	<2.0	<6.0	12	<1.0	<5.0	87
844-2-5	<2.0	<6.0	37	<1.0	<5.0	190
844-2-6	<2.0	<6.0	11	<1.0	<5.0	58
844-2-7	<2.0	<6.0	12	<1.0	<5.0	98
844-3-1	<2.0	<6.0	11	<1.0	<5.0	89
844-3-2	<2.0	<6.0	12	<1.0	<5.0	66
844-3-3	<2.0	<6.0	10	<1.0	<5.0	140
844-3-4	<2.0	<6.0	13	<1.0	<5.0	80
844-4-1	<2.0	<6.0	29	<1.0	<5.0	230
844-4-2	<2.0	<6.0	21	<1.0	<5.0	190
844-4-3	<2.0	<6.0	14	<1.0	<5.0	110
844-4-4	<2.0	<6.0	27	<1.0	<5.0	220
844-4-5	<2.0	<6.0	15	<1.0	<5.0	73
844-4-6	<2.0	<6.0	20	<1.0	<5.0	160
844-4-7	<2.0	<6.0	12	<1.0	<5.0	120
845-1-1	<2.0	<6.0	17	<1.0	<5.0	110
845-1-2	<2.0	<6.0	11	<1.0	<5.0	110
845-1-3	<2.0	<6.0	11	<1.0	<5.0	130
845-1-4	<2.0	<6.0	13	<1.0	<5.0	110
845-1-5	<2.0	<6.0	19	<1.0	<5.0	160
845-1-6	<2.0	<6.0	45	1.3	<5.0	260
845-1-7	<2.0	<6.0	32	<1.0	<5.0	230
845-3-1	<2.0	<6.0	29	1.0	<5.0	190
845-3-2	<2.0	<6.0	24	<1.0	<5.0	160
845-3-3	<2.0	<6.0	36	1.0	<5.0	360
845-3-4	<2.0	<6.0	25	<1.0	<5.0	220
845-3-5	<2.0	<6.0	26	<1.0	<5.0	150
845-3-6	<2.0	<6.0	16	<1.0	<5.0	110
845-3-7	<2.0	<6.0	14	<1.0	<5.0	120
868-3-1	<2.0	<6.0	17	<1.0	<5.0	250
868-3-2	<2.0	<6.0	24	<1.0	<5.0	190
868-3-3	<2.0	<6.0	15	<1.0	<5.0	170
869-1-1	<2.0	<6.0	17	<1.0	<5.0	89
869-1-2	<2.0	<6.0	17	<1.0	<5.0	110
869-1-3	<2.0	<6.0	<10	<1.0	<5.0	120
869-1-4	<2.0	<6.0	20	<1.0	<5.0	110
869-2-1	<2.0	<6.0	15	<1.0	<5.0	130
869-2-2	<2.0	<6.0	20	<1.0	<5.0	110
869-2-3	<2.0	<6.0	16	<1.0	<5.0	120
869-2-4	<2.0	<6.0	11	<1.0	<5.0	170
869-2-5	<2.0	<6.0	23	<1.0	<5.0	150
869-2-6	<2.0	<6.0	24	<1.0	<5.0	260
869-2-7	<2.0	<6.0	21	<1.0	<5.0	180
869-3-1	<2.0	<6.0	<10	<1.0	<5.0	120
869-3-2	<2.0	<6.0	16	<1.0	<5.0	99
869-3-3	<2.0	<6.0	16	<1.0	<5.0	130
869-3-4	<2.0	<6.0	19	<1.0	<5.0	150
869-4-1	<2.0	<6.0	13	<1.0	<5.0	130
869-4-2	<2.0	<6.0	14	<1.0	<5.0	67
869-4-3	<2.0	<6.0	40	<1.0	<5.0	160
869-4-4	<2.0	<6.0	12	<1.0	<5.0	140
869-4-5	<2.0	<6.0	21	<1.0	<5.0	170
869-4-6	<2.0	<6.0	23	<1.0	<5.0	110
869-4-7	<2.0	<6.0	15	<1.0	<5.0	44
870-1-1	<2.0	<6.0	18	<1.0	<5.0	150
870-1-2	<2.0	<6.0	21	<1.0	<5.0	250
870-1-3	<2.0	<6.0	22	<1.0	<5.0	240
870-1-4	<2.0	<6.0	17	<1.0	<5.0	120
870-3-1	<2.0	<6.0	14	<1.0	<5.0	120
870-3-2	<2.0	<6.0	16	<1.0	<5.0	76
870-3-3	<2.0	<6.0	11	<1.0	<5.0	68
870-3-4	<2.0	<6.0	21	<1.0	<5.0	210
888-4-1	<2.0	<6.0	52	<1.0	<5.0	480

Muestra	Selenio (Se)	Estaño (Sn)	Vanadio (V)	Berilio (Be)	Talio (Tl)	Manganeso (Mn)
889-1-1	<2.0	<6.0	14	<1.0	<5.0	220
889-2-1	<2.0	<6.0	10	<1.0	<5.0	160
889-2-2	<2.0	<6.0	<10	<1.0	<5.0	39
889-2-3	<2.0	<6.0	32	1.1	<5.0	280
889-2-4	<2.0	<6.0	24	<1.0	<5.0	220
889-3-1	<2.0	<6.0	16	<1.0	<5.0	130
889-3-2	<2.0	<6.0	53	1.6	<5.0	560
889-3-3	<2.0	<6.0	13	<1.0	<5.0	250
889-3-4	<2.0	<6.0	51	1.0	<5.0	380
889-4-1	<2.0	<6.0	17	<1.0	<5.0	330
889-4-2	<2.0	<6.0	13	<1.0	<5.0	180
889-4-3	<2.0	<6.0	17	<1.0	<5.0	300
889-4-4	<2.0	<6.0	11	<1.0	<5.0	200
889-4-5	<2.0	<6.0	11	<1.0	<5.0	220
889-4-6	<2.0	<6.0	15	<1.0	<5.0	330
889-4-7	<2.0	<6.0	18	<1.0	<5.0	200
890-1-1	<2.0	<6.0	19	<1.0	<5.0	210
890-1-2	<2.0	<6.0	11	<1.0	<5.0	110
890-1-3	<2.0	<6.0	19	<1.0	<5.0	160
890-1-4	<2.0	<6.0	24	<1.0	<5.0	320
890-1-5	<2.0	<6.0	11	<1.0	<5.0	100
890-1-6	<2.0	<6.0	18	1.1	<5.0	190
890-1-7	<2.0	<6.0	19	1.1	<5.0	190
890-2-1	<2.0	<6.0	22	<1.0	<5.0	170
890-2-2	<2.0	<6.0	15	<1.0	<5.0	130
890-2-3	<2.0	<6.0	14	<1.0	<5.0	150
890-2-4	<2.0	<6.0	15	<1.0	<5.0	120
890-3-1	<2.0	<6.0	12	<1.0	<5.0	160
890-3-2	<2.0	<6.0	15	<1.0	<5.0	190
890-3-3	<2.0	<6.0	26	<1.0	<5.0	230
890-3-4	<2.0	<6.0	21	<1.0	<5.0	120
890-3-5	<2.0	<6.0	10	<1.0	<5.0	87
890-3-6	<2.0	<6.0	12	<1.0	<5.0	200
890-3-7	<2.0	<6.0	12	<1.0	<5.0	240
890-4-1	<2.0	<6.0	<10	<1.0	<5.0	130
890-4-2	<2.0	<6.0	34	<1.0	<5.0	250
890-4-3	<2.0	<6.0	<10	<1.0	<5.0	120
890-4-4	<2.0	<6.0	14	<1.0	<5.0	190
890-4-5	<2.0	<6.0	<10	<1.0	<5.0	55
890-4-6	<2.0	<6.0	23	<1.0	<5.0	240
890-4-7	<2.0	<6.0	<10	<1.0	<5.0	320
891-1-1	<2.0	<6.0	18	<1.0	<5.0	180
891-1-2	<2.0	<6.0	38	<1.0	<5.0	250
891-1-3	<2.0	<6.0	15	<1.0	<5.0	160
891-1-4	<2.0	<6.0	13	<1.0	<5.0	79
891-1-5	<2.0	<6.0	19	<1.0	<5.0	220
891-1-6	<2.0	<6.0	15	<1.0	<5.0	120
891-1-7	<2.0	<6.0	21	<1.0	<5.0	300
891-2-1	<2.0	<6.0	<10	<1.0	<5.0	66
891-2-2	<2.0	<6.0	13	<1.0	<5.0	170
891-2-3	<2.0	<6.0	13	<1.0	<5.0	210
891-2-4	<2.0	<6.0	13	<1.0	<5.0	170
891-2-5	<2.0	<6.0	26	<1.0	<5.0	170
891-2-6	<2.0	<6.0	12	<1.0	<5.0	130
891-2-7	<2.0	<6.0	19	<1.0	<5.0	110
891-3-1	<2.0	<6.0	<10	<1.0	<5.0	240
891-3-2	<2.0	<6.0	18	<1.0	<5.0	230
891-3-3	<2.0	<6.0	21	<1.0	<5.0	190
891-3-4	<2.0	<6.0	14	<1.0	<5.0	120
891-3-5	<2.0	<6.0	34	1.0	<5.0	360
891-3-6	<2.0	<6.0	16	<1.0	<5.0	390
891-3-7	<2.0	<6.0	<10	<1.0	<5.0	280
891-4-1	<2.0	<6.0	<10	<1.0	<5.0	200
891-4-2	<2.0	<6.0	21	<1.0	<5.0	130
891-4-3	<2.0	<6.0	<10	<1.0	<5.0	110
891-4-4	<2.0	<6.0	30	<1.0	<5.0	240
891-4-5	<2.0	<6.0	37	<1.0	<5.0	690
891-4-6	<2.0	<6.0	16	<1.0	<5.0	190
891-4-7	<2.0	<6.0	<10	<1.0	<5.0	55
892-1-1	<2.0	<6.0	12	<1.0	<5.0	140
892-1-2	<2.0	<6.0	23	<1.0	<5.0	100
892-1-3	<2.0	<6.0	25	<1.0	<5.0	190
892-1-4	<2.0	<6.0	26	1.1	<5.0	300
892-1-5	<2.0	<6.0	31	<1.0	<5.0	350
892-1-6	<2.0	<6.0	<10	<1.0	<5.0	160
892-1-7	<2.0	<6.0	17	<1.0	<5.0	220

Muestra	Selenio (Se)	Estaño (Sn)	Vanadio (V)	Berilio (Be)	Talio (Tl)	Manganeso (Mn)
892-2-1	<2.0	<6.0	22	<1.0	<5.0	210
892-3-1	<2.0	<6.0	29	<1.0	<5.0	350
892-3-2	<2.0	<6.0	12	<1.0	<5.0	170
892-3-3	<2.0	<6.0	21	<1.0	<5.0	230
892-3-4	<2.0	<6.0	15	<1.0	<5.0	150
892-3-5	<2.0	<6.0	18	<1.0	<5.0	160
892-3-6	<2.0	<6.0	16	<1.0	<5.0	270
892-3-7	<2.0	<6.0	<10	<1.0	<5.0	69
892-4-1	<2.0	<6.0	19	<1.0	<5.0	110
909-2-1	<2.0	<6.0	12	<1.0	<5.0	260
909-2-2	<2.0	<6.0	21	<1.0	<5.0	310
909-2-3	<2.0	<6.0	22	1.0	<5.0	190
909-4-1	<2.0	<6.0	19	<1.0	<5.0	320
909-4-2	<2.0	<6.0	28	<1.0	<5.0	340
909-4-3	12	<6.0	24	<1.0	<5.0	280
909-4-4	<2.0	<6.0	20	<1.0	<5.0	190
910-1-1	<2.0	<6.0	<10	<1.0	<5.0	53
910-1-2	<2.0	<6.0	<10	<1.0	<5.0	100
910-1-3	<2.0	<6.0	11	<1.0	<5.0	78
910-1-4	<2.0	<6.0	12	<1.0	<5.0	170
910-1-5	<2.0	<6.0	13	<1.0	<5.0	140
910-1-6	<2.0	<6.0	15	<1.0	<5.0	120
910-1-7	<2.0	<6.0	22	<1.0	<5.0	290
910-2-1	<2.0	<6.0	26	<1.0	<5.0	450
910-2-2	<2.0	<6.0	13	<1.0	<5.0	52
910-2-3	<2.0	<6.0	19	<1.0	<5.0	400
910-2-4	<2.0	<6.0	20	<1.0	<5.0	290
910-2-5	<2.0	<6.0	13	<1.0	<5.0	170
910-2-6	<2.0	<6.0	17	<1.0	<5.0	220
910-2-7	<2.0	<6.0	<10	<1.0	<5.0	66
910-3-1	<2.0	<6.0	48	1.5	<5.0	670
910-3-2	<2.0	<6.0	26	<1.0	<5.0	350
910-3-3	<2.0	<6.0	20	<1.0	<5.0	290
910-3-4	<2.0	<6.0	21	<1.0	<5.0	350
910-3-5	<2.0	<6.0	16	<1.0	<5.0	220
910-3-6	<2.0	<6.0	44	1.8	<5.0	400
910-3-7	<2.0	<6.0	25	<1.0	<5.0	350
910-4-1	<2.0	<6.0	14	<1.0	<5.0	200
910-4-2	<2.0	<6.0	<10	<1.0	<5.0	190
910-4-3	<2.0	<6.0	<10	<1.0	<5.0	64
910-4-4	<2.0	<6.0	28	<1.0	<5.0	340
910-4-5	<2.0	<6.0	28	<1.0	<5.0	310
910-4-6	<2.0	<6.0	22	<1.0	<5.0	260
910-4-7	<2.0	<6.0	15	<1.0	<5.0	320
911-1-1	<2.0	<6.0	20	<1.0	<5.0	240
911-1-2	<2.0	<6.0	<10	<1.0	<5.0	150
911-1-3	<2.0	<6.0	69	1.3	<5.0	240
911-1-4	<2.0	<6.0	33	<1.0	<5.0	230
911-1-5	<2.0	<6.0	17	<1.0	<5.0	140
911-1-6	<2.0	<6.0	25	<1.0	<5.0	410
911-1-7	<2.0	<6.0	14	<1.0	<5.0	160
911-2-1	<2.0	<6.0	14	<1.0	<5.0	290
911-2-2	<2.0	<6.0	<10	<1.0	<5.0	160
911-2-3	<2.0	<6.0	15	<1.0	<5.0	180
911-2-4	<2.0	<6.0	21	<1.0	<5.0	350
911-2-5	<2.0	<6.0	32	<1.0	<5.0	410
911-2-6	<2.0	<6.0	19	<1.0	<5.0	360
911-2-7	<2.0	<6.0	42	1.2	<5.0	520
911-3-1	<2.0	<6.0	32	1.1	<5.0	280
911-3-2	<2.0	<6.0	27	<1.0	<5.0	300
911-3-3	<2.0	<6.0	25	1.2	<5.0	220
911-3-4	<2.0	<6.0	44	1.3	<5.0	480
911-3-5	<2.0	<6.0	32	1.2	<5.0	260
911-3-6	<2.0	<6.0	20	<1.0	<5.0	210
911-3-7	<2.0	8.9	<10	<1.0	<5.0	100
911-4-1	<2.0	<6.0	35	<1.0	<5.0	260
911-4-2	<2.0	<6.0	21	<1.0	<5.0	600
911-4-3	<2.0	<6.0	20	<1.0	<5.0	170
911-4-4	<2.0	<6.0	23	<1.0	<5.0	170
911-4-5	<2.0	<6.0	15	<1.0	<5.0	290
911-4-6	<2.0	<6.0	19	<1.0	<5.0	170
911-4-7	<2.0	<6.0	19	<1.0	<5.0	830
912-1-1	<2.0	<6.0	26	<1.0	<5.0	210
912-1-2	<2.0	<6.0	<10	<1.0	<5.0	150
912-1-3	<2.0	<6.0	12	<1.0	<5.0	280
912-1-4	<2.0	<6.0	16	<1.0	<5.0	290

Muestra	Selenio (Se)	Estaño (Sn)	Vanadio (V)	Berilio (Be)	Talio (Tl)	Manganeso (Mn)
912-1-5	<2.0	<6.0	18	<1.0	<5.0	390
912-1-6	<2.0	<6.0	14	<1.0	<5.0	110
912-1-7	<2.0	<6.0	18	<1.0	<5.0	220
912-2-1	<2.0	<6.0	20	<1.0	<5.0	230
912-2-2	<2.0	<6.0	14	<1.0	<5.0	140
912-2-3	<2.0	<6.0	10	<1.0	<5.0	240
912-2-4	<2.0	<6.0	14	<1.0	<5.0	170
912-2-5	<2.0	<6.0	24	<1.0	<5.0	240
912-2-6	<2.0	<6.0	17	<1.0	<5.0	200
912-2-7	<2.0	<6.0	11	<1.0	<5.0	170
912-3-1	<2.0	<6.0	16	<1.0	<5.0	110
912-3-2	<2.0	<6.0	20	<1.0	<5.0	94
912-3-3	<2.0	<6.0	22	<1.0	<5.0	240
912-3-4	<2.0	<6.0	30	1.1	<5.0	330
912-3-5	<2.0	<6.0	21	<1.0	<5.0	210
912-3-6	<2.0	<6.0	25	<1.0	<5.0	260
912-3-7	<2.0	<6.0	19	<1.0	<5.0	320
912-4-1	<2.0	<6.0	19	<1.0	<5.0	120
912-4-2	<2.0	<6.0	15	<1.0	<5.0	150
912-4-3	<2.0	<6.0	14	<1.0	<5.0	210
912-4-4	<2.0	<6.0	18	<1.0	<5.0	260
912-4-5	<2.0	<6.0	20	<1.0	<5.0	330
912-4-6	<2.0	<6.0	19	<1.0	<5.0	150
912-4-7	<2.0	<6.0	12	<1.0	<5.0	200
913-1-1	<2.0	<6.0	<10	<1.0	<5.0	81
913-1-2	<2.0	<6.0	40	1.2	<5.0	370
913-1-3	<2.0	<6.0	20	<1.0	<5.0	240
913-1-4	<2.0	<6.0	28	7.8	<5.0	180
913-1-5	<2.0	<6.0	24	<1.0	<5.0	270
913-1-6	<2.0	<6.0	13	<1.0	<5.0	170
913-1-7	<2.0	<6.0	35	<1.0	<5.0	220
913-3-1	<2.0	<6.0	32	<1.0	<5.0	220
913-3-2	<2.0	<6.0	23	<1.0	<5.0	170
913-3-3	<2.0	<6.0	29	<1.0	<5.0	430
913-3-4	<2.0	<6.0	20	<1.0	<5.0	250
913-3-5	<2.0	<6.0	<10	<1.0	<5.0	410
913-3-6	<2.0	<6.0	24	1.1	<5.0	1000
913-3-7	<2.0	<6.0	20	<1.0	<5.0	220
913-4-1	<2.0	<6.0	11	<1.0	<5.0	190
930-2-1	<2.0	<6.0	18	<1.0	<5.0	150
930-2-2	<2.0	<6.0	34	<1.0	<5.0	300
930-2-3	<2.0	<6.0	17	<1.0	<5.0	250
930-2-4	<2.0	<6.0	18	<1.0	<5.0	310
931-1-1	<2.0	<6.0	12	<1.0	<5.0	170
931-1-2	<2.0	<6.0	23	<1.0	<5.0	290
931-1-3	<2.0	<6.0	17	<1.0	<5.0	230
931-1-4	<2.0	<6.0	21	<1.0	<5.0	280
931-1-5	<2.0	<6.0	34	<1.0	<5.0	310
931-1-6	<2.0	<6.0	27	<1.0	<5.0	250
931-1-7	<2.0	<6.0	13	<1.0	<5.0	99
931-2-1	<2.0	<6.0	16	<1.0	<5.0	260
931-2-2	<2.0	<6.0	<10	<1.0	<5.0	210
931-2-3	<2.0	<6.0	25	<1.0	<5.0	410
931-2-4	<2.0	<6.0	<10	<1.0	<5.0	160
931-2-5	<2.0	<6.0	23	<1.0	<5.0	220
931-2-6	<2.0	<6.0	16	<1.0	<5.0	820
931-2-7	<2.0	<6.0	10	<1.0	<5.0	200
931-3-1	<2.0	<6.0	25	<1.0	<5.0	580
931-3-2	<2.0	<6.0	13	<1.0	<5.0	110
931-3-3	<2.0	<6.0	19	<1.0	<5.0	200
931-4-1	<2.0	<6.0	<10	<1.0	<5.0	24
931-4-2	<2.0	<6.0	18	<1.0	<5.0	270
931-4-3	<2.0	<6.0	19	<1.0	<5.0	160
931-4-4	<2.0	<6.0	16	<1.0	<5.0	110
932-1-1	<2.0	<6.0	23	<1.0	<5.0	270
932-1-2	<2.0	<6.0	16	1.8	<5.0	200
932-1-3	<2.0	<6.0	21	<1.0	<5.0	170
932-1-4	<2.0	<6.0	16	<1.0	<5.0	200
932-1-5	<2.0	<6.0	20	<1.0	<5.0	420
932-1-6	<2.0	<6.0	18	<1.0	<5.0	470
932-1-7	<2.0	<6.0	21	<1.0	<5.0	250
932-2-1	<2.0	<6.0	41	<1.0	<5.0	420
932-2-2	<2.0	<6.0	78	<1.0	<5.0	270
932-2-3	<2.0	<6.0	65	1.7	<5.0	430
932-2-4	<2.0	<6.0	12	<1.0	<5.0	120
932-2-5	<2.0	<6.0	20	<1.0	<5.0	180

Muestra	Selenio (Se)	Estaño (Sn)	Vanadio (V)	Berilio (Be)	Talio (Tl)	Manganeso (Mn)
932-2-6	<2.0	<6.0	18	<1.0	<5.0	230
932-2-7	<2.0	<6.0	20	<1.0	<5.0	210
932-3-1	<2.0	<6.0	15	<1.0	<5.0	240
932-3-2	<2.0	<6.0	27	<1.0	<5.0	310
932-3-3	<2.0	<6.0	18	<1.0	<5.0	160
932-3-4	<2.0	<6.0	<10	<1.0	<5.0	130
932-3-5	<2.0	<6.0	<10	<1.0	<5.0	120
932-3-6	<2.0	<6.0	57	1.0	<5.0	580
932-3-7	<2.0	<6.0	38	<1.0	<5.0	250
932-4-1	<2.0	<6.0	23	<1.0	<5.0	630
932-4-2	<2.0	<6.0	23	<1.0	<5.0	120
932-4-3	<2.0	<6.0	26	<1.0	<5.0	190
932-4-4	<2.0	<6.0	30	<1.0	<5.0	100
932-4-5	<2.0	<6.0	10	<1.0	<5.0	260
932-4-6	<2.0	<6.0	19	<1.0	<5.0	32
932-4-7	<2.0	<6.0	34	<1.0	<5.0	330
933-1-1	<2.0	<6.0	10	<1.0	<5.0	250
933-1-2	<2.0	<6.0	<10	<1.0	<5.0	61
933-1-3	<2.0	<6.0	24	<1.0	<5.0	220
933-1-4	<2.0	<6.0	45	1.3	<5.0	380
933-1-5	<2.0	<6.0	38	1.1	<5.0	340
933-1-6	<2.0	<6.0	14	<1.0	<5.0	180
933-1-7	<2.0	<6.0	12	<1.0	<5.0	110
933-2-1	<2.0	<6.0	25	<1.0	<5.0	510
933-2-2	<2.0	<6.0	20	<1.0	<5.0	230
933-2-3	<2.0	<6.0	16	<1.0	<5.0	160
933-2-4	<2.0	<6.0	23	<1.0	<5.0	190
933-2-5	<2.0	<6.0	<10	<1.0	<5.0	60
933-2-6	<2.0	<6.0	17	<1.0	<5.0	280
933-2-7	<2.0	<6.0	21	<1.0	<5.0	280
933-3-1	<2.0	<6.0	<10	<1.0	<5.0	93
933-3-2	<2.0	<6.0	<10	<1.0	<5.0	60
933-3-3	<2.0	<6.0	32	<1.0	<5.0	260
933-3-4	<2.0	<6.0	73	1.6	<5.0	520
933-3-5	<2.0	<6.0	15	<1.0	<5.0	230
933-3-6	<2.0	<6.0	19	<1.0	<5.0	260
933-3-7	<2.0	<6.0	14	<1.0	<5.0	88
933-4-1	<2.0	<6.0	21	<1.0	<5.0	240
933-4-2	<2.0	<6.0	18	<1.0	<5.0	570
933-4-3	<2.0	<6.0	<10	<1.0	<5.0	40
933-4-4	<2.0	<6.0	14	<1.0	<5.0	220
933-4-5	<2.0	<6.0	16	<1.0	<5.0	120
933-4-6	<2.0	<6.0	29	<1.0	<5.0	640
933-4-7	<2.0	<6.0	20	<1.0	<5.0	220
934-1-1	<2.0	<6.0	<10	<1.0	<5.0	580
934-1-2	<2.0	<6.0	25	<1.0	<5.0	270
934-1-3	<2.0	<6.0	20	<1.0	<5.0	380
934-1-4	<2.0	<6.0	23	<1.0	<5.0	230
934-1-5	<2.0	<6.0	19	<1.0	<5.0	280
934-1-6	<2.0	7.9	23	<1.0	<5.0	410
934-1-7	<2.0	<6.0	24	1.0	<5.0	370
934-2-1	<2.0	<6.0	22	<1.0	<5.0	310
934-2-2	<2.0	<6.0	18	<1.0	<5.0	330
934-2-3	<2.0	<6.0	<10	<1.0	<5.0	180
934-3-1	<2.0	<6.0	17	<1.0	<5.0	180
934-3-2	<2.0	<6.0	23	<1.0	<5.0	230
934-3-3	<2.0	<6.0	23	<1.0	<5.0	180
934-3-4	<2.0	<6.0	27	<1.0	<5.0	140
934-3-5	<2.0	<6.0	22	<1.0	<5.0	220
934-3-6	<2.0	<6.0	28	<1.0	<5.0	200
934-3-7	<2.0	<6.0	15	<1.0	<5.0	790
934-4-1	<2.0	<6.0	43	<1.0	<5.0	160
934-4-2	<2.0	<6.0	23	<1.0	<5.0	210
934-4-3	<2.0	<6.0	19	<1.0	<5.0	300
934-4-4	<2.0	<6.0	16	<1.0	<5.0	150
935-3-1	<2.0	<6.0	16	<1.0	<5.0	120
952-2-1	<2.0	<6.0	<10	<1.0	<5.0	90
952-2-2	<2.0	<6.0	19	<1.0	<5.0	270
952-2-3	<2.0	<6.0	13	<1.0	<5.0	520
952-2-4	<2.0	<6.0	11	<1.0	<5.0	410
952-4-1	<2.0	<6.0	15	<1.0	<5.0	240
952-4-2	<2.0	<6.0	26	1.0	<5.0	1100
952-4-3	<2.0	<6.0	18	<1.0	<5.0	750
952-4-4	<2.0	<6.0	28	<1.0	<5.0	210
953-1-1	<2.0	<6.0	26	<1.0	<5.0	250
953-1-2	<2.0	<6.0	26	<1.0	<5.0	350

Muestra	Selenio (Se)	Estaño (Sn)	Vanadio (V)	Berilio (Be)	Talio (Tl)	Manganeso (Mn)
953-1-3	<2.0	<6.0	12	<1.0	<5.0	150
953-1-4	<2.0	<6.0	19	<1.0	<5.0	170
953-1-5	<2.0	<6.0	17	<1.0	<5.0	70
953-1-6	<2.0	<6.0	<10	<1.0	<5.0	320
953-1-7	<2.0	<6.0	13	<1.0	<5.0	130
953-2-1	<2.0	<6.0	27	<1.0	<5.0	370
953-2-2	<2.0	<6.0	43	1.2	<5.0	880
953-2-3	<2.0	<6.0	14	<1.0	<5.0	150
953-2-4	<2.0	<6.0	28	<1.0	<5.0	150
953-2-5	<2.0	<6.0	32	<1.0	<5.0	340
953-2-6	<2.0	<6.0	13	<1.0	<5.0	270
953-2-7	<2.0	<6.0	26	<1.0	<5.0	450
953-3-1	<2.0	<6.0	19	<1.0	<5.0	290
953-3-2	<2.0	<6.0	15	<1.0	<5.0	280
953-3-3	<2.0	6.3	24	1.0	<5.0	260
953-3-4	<2.0	<6.0	22	<1.0	<5.0	400
953-3-5	<2.0	<6.0	18	<1.0	<5.0	200
953-3-6	<2.0	<6.0	29	<1.0	<5.0	540
953-3-7	<2.0	<6.0	18	<1.0	<5.0	350
953-4-1	<2.0	<6.0	23	<1.0	<5.0	280
953-4-2	<2.0	<6.0	23	<1.0	<5.0	440
953-4-3	<2.0	<6.0	19	<1.0	<5.0	200
953-4-4	<2.0	<6.0	12	<1.0	<5.0	220
953-4-5	<2.0	<6.0	25	<1.0	<5.0	750
953-4-6	<2.0	<6.0	25	<1.0	<5.0	300
953-4-7	<2.0	<6.0	33	<1.0	<5.0	380
954-1-1	<2.0	<6.0	26	1.4	<5.0	540
954-1-2	<2.0	<6.0	20	<1.0	<5.0	360
954-1-3	<2.0	<6.0	14	<1.0	<5.0	240
954-1-4	<2.0	<6.0	15	<1.0	<5.0	160
954-1-5	<2.0	<6.0	26	<1.0	<5.0	500
954-1-6	<2.0	<6.0	38	<1.0	<5.0	89
954-1-7	<2.0	<6.0	31	<1.0	<5.0	370
954-2-1	<2.0	<6.0	30	<1.0	<5.0	340
954-2-2	<2.0	<6.0	20	<1.0	<5.0	420
954-2-3	<2.0	<6.0	32	<1.0	<5.0	190
954-2-4	<2.0	<6.0	18	<1.0	<5.0	170
954-2-5	<2.0	<6.0	25	<1.0	<5.0	280
954-2-6	<2.0	<6.0	13	<1.0	<5.0	65
954-2-7	<2.0	<6.0	47	<1.0	<5.0	270
954-3-1	<2.0	<6.0	41	<1.0	<5.0	580
954-3-2	<2.0	<6.0	23	<1.0	<5.0	510
954-3-3	<2.0	<6.0	20	<1.0	<5.0	200
954-3-4	<2.0	<6.0	16	<1.0	<5.0	260
954-3-5	<2.0	<6.0	21	<1.0	<5.0	290
954-3-6	<2.0	<6.0	38	1.1	<5.0	300
954-3-7	<2.0	<6.0	20	<1.0	<5.0	260
954-4-1	<2.0	<6.0	22	<1.0	<5.0	130
954-4-2	<2.0	<6.0	36	<1.0	<5.0	490
954-4-3	<2.0	<6.0	38	<1.0	<5.0	390
954-4-4	<2.0	<6.0	40	<1.0	<5.0	560
954-4-5	<2.0	<6.0	26	<1.0	<5.0	240
954-4-6	<2.0	<6.0	<10	<1.0	<5.0	71
954-4-7	<2.0	<6.0	21	<1.0	<5.0	280
955-1-1	<2.0	<6.0	19	<1.0	<5.0	220
955-1-2	<2.0	<6.0	26	<1.0	<5.0	130
955-1-3	<2.0	<6.0	23	<1.0	<5.0	170
955-1-4	<2.0	<6.0	19	<1.0	<5.0	160
955-1-5	<2.0	<6.0	31	<1.0	<5.0	200
955-1-6	<2.0	<6.0	22	<1.0	<5.0	180
955-1-7	<2.0	<6.0	23	<1.0	<5.0	240
955-2-1	<2.0	<6.0	23	<1.0	<5.0	450
955-2-2	<2.0	<6.0	22	<1.0	<5.0	260
955-2-3	<2.0	<6.0	30	<1.0	<5.0	420
955-2-4	<2.0	<6.0	30	<1.0	<5.0	370
955-2-5	<2.0	<6.0	23	<1.0	<5.0	200
955-2-6	<2.0	<6.0	26	<1.0	<5.0	350
955-2-7	<2.0	<6.0	25	<1.0	<5.0	110
955-3-1	<2.0	<6.0	27	<1.0	<5.0	310
955-3-2	<2.0	<6.0	27	<1.0	<5.0	300
955-3-3	<2.0	<6.0	27	<1.0	<5.0	270
955-3-4	<2.0	<6.0	39	1.0	<5.0	450
955-3-5	<2.0	<6.0	27	<1.0	<5.0	370
955-3-6	<2.0	<6.0	42	<1.0	<5.0	700
955-3-7	<2.0	<6.0	36	<1.0	<5.0	380
955-4-1	<2.0	<6.0	32	<1.0	<5.0	400

Muestra	Selenio (Se)	Estaño (Sn)	Vanadio (V)	Berilio (Be)	Talio (Tl)	Manganeso (Mn)
955-4-2	<2.0	<6.0	30	<1.0	<5.0	270
955-4-3	<2.0	<6.0	27	<1.0	<5.0	210
955-4-4	<2.0	<6.0	35	<1.0	<5.0	550
955-4-5	<2.0	<6.0	28	<1.0	<5.0	280
955-4-6	<2.0	<6.0	26	<1.0	<5.0	190
955-4-7	<2.0	<6.0	21	<1.0	<5.0	280
956-1-1	<2.0	<6.0	20	<1.0	<5.0	240
956-1-2	<2.0	<6.0	15	<1.0	<5.0	210
956-3-1	<2.0	<6.0	12	1.9	<5.0	95
974-2-1	<2.0	<6.0	25	<1.0	<5.0	470
974-2-2	<2.0	<6.0	<10	<1.0	<5.0	190
974-2-3	<2.0	<6.0	46	<1.0	<5.0	750
974-2-4	<2.0	<6.0	24	<1.0	<5.0	370
974-4-1	<2.0	<6.0	22	<1.0	<5.0	360
975-1-1	<2.0	<6.0	23	<1.0	<5.0	580
975-1-2	<2.0	<6.0	<10	<1.0	<5.0	200
975-1-3	<2.0	<6.0	25	<1.0	<5.0	450
975-1-4	<2.0	<6.0	27	<1.0	<5.0	650
975-1-5	<2.0	<6.0	27	<1.0	<5.0	710
975-1-6	<2.0	<6.0	40	<1.0	<5.0	640
975-1-7	<2.0	<6.0	23	<1.0	<5.0	480
975-2-1	<2.0	<6.0	25	<1.0	<5.0	480
975-2-2	<2.0	<6.0	28	<1.0	<5.0	610
975-2-3	<2.0	<6.0	19	<1.0	<5.0	360
975-2-4	<2.0	<6.0	13	<1.0	<5.0	160
975-2-5	<2.0	<6.0	21	<1.0	<5.0	890
975-2-6	<2.0	<6.0	23	<1.0	<5.0	480
975-2-7	<2.0	<6.0	38	<1.0	<5.0	2300
975-3-1	<2.0	<6.0	35	<1.0	<5.0	430
975-3-2	<2.0	<6.0	45	<1.0	<5.0	590
975-3-3	<2.0	<6.0	27	<1.0	<5.0	210
975-3-4	<2.0	<6.0	41	1.2	<5.0	610
975-3-5	<2.0	<6.0	23	<1.0	<5.0	1000
975-3-6	<2.0	<6.0	36	<1.0	<5.0	520
975-3-7	<2.0	<6.0	37	<1.0	<5.0	900
975-4-1	<2.0	<6.0	33	<1.0	<5.0	400
975-4-2	<2.0	<6.0	40	<1.0	<5.0	1000
975-4-3	<2.0	<6.0	120	<1.0	<5.0	1200
975-4-4	<2.0	<6.0	46	<1.0	<5.0	900
975-4-5	<2.0	<6.0	22	<1.0	<5.0	650
975-4-6	<2.0	<6.0	27	<1.0	<5.0	810
975-4-7	<2.0	<6.0	23	<1.0	<5.0	600
976-1-1	<2.0	<6.0	82	2.6	<5.0	320
976-1-2	<2.0	<6.0	29	<1.0	<5.0	410
976-1-3	<2.0	<6.0	31	<1.0	<5.0	240
976-1-4	<2.0	<6.0	22	<1.0	<5.0	240
976-1-5	<2.0	<6.0	32	<1.0	<5.0	590
976-1-6	<2.0	<6.0	20	<1.0	<5.0	780
976-1-7	<2.0	<6.0	11	<1.0	<5.0	290
976-2-1	<2.0	<6.0	26	<1.0	<5.0	370
976-2-2	<2.0	<6.0	82	6.3	<5.0	810
976-2-3	<2.0	<6.0	30	<1.0	<5.0	670
976-2-4	<2.0	<6.0	60	<1.0	<5.0	590
976-2-5	<2.0	<6.0	30	<1.0	<5.0	350
976-2-6	<2.0	<6.0	37	<1.0	<5.0	300
976-2-7	<2.0	<6.0	41	<1.0	<5.0	430
976-3-1	<2.0	<6.0	11	<1.0	<5.0	210
976-3-2	<2.0	<6.0	22	<1.0	<5.0	34
976-3-3	<2.0	<6.0	34	<1.0	<5.0	380
976-3-4	<2.0	<6.0	26	<1.0	<5.0	800
976-4-1	<2.0	<6.0	30	<1.0	<5.0	120
977-1-1	<2.0	<6.0	23	<1.0	<5.0	450
977-1-2	<2.0	<6.0	37	<1.0	<5.0	440
977-1-3	<2.0	<6.0	12	<1.0	<5.0	260
977-1-4	<2.0	<6.0	23	<1.0	<5.0	240
977-1-5	<2.0	<6.0	45	1.1	<5.0	390
977-1-6	<2.0	<6.0	22	<1.0	<5.0	500
977-1-7	<2.0	<6.0	90	1.1	<5.0	840
977-2-1	<2.0	<6.0	29	1.4	<5.0	330
977-2-2	<2.0	<6.0	58	2.9	<5.0	280
977-2-3	<2.0	<6.0	35	2.1	<5.0	1700
977-2-4	<2.0	<6.0	31	<1.0	<5.0	690
977-2-5	<2.0	<6.0	29	<1.0	<5.0	400
977-2-6	<2.0	<6.0	42	<1.0	<5.0	1300
977-2-7	<2.0	<6.0	36	1.1	<5.0	400
977-3-1	<2.0	<6.0	43	<1.0	<5.0	560

Muestra	Selenio (Se)	Estaño (Sn)	Vanadio (V)	Berilio (Be)	Talio (Tl)	Manganeso (Mn)
977-4-1	<2.0	<6.0	27	<1.0	<5.0	500
977-4-2	<2.0	<6.0	34	<1.0	<5.0	450
978-1-1	<2.0	<6.0	45	1.1	<5.0	990
978-1-2	<2.0	<6.0	14	<1.0	<5.0	320
978-1-3	<2.0	<6.0	48	<1.0	<5.0	7200
997B-1-1	<2.0	<6.0	40	<1.0	<5.0	830
997-1-1	<2.0	<6.0	23	<1.0	<5.0	660
997-1-2	<2.0	<6.0	29	<1.0	<5.0	380
997-1-3	<2.0	<6.0	29	<1.0	<5.0	390
997-1-4	<2.0	<6.0	69	1.3	<5.0	1600
997-2-1	<2.0	<6.0	17	<1.0	<5.0	680
997-2-2	<2.0	<6.0	15	<1.0	<5.0	260
997-2-3	<2.0	<6.0	41	<1.0	<5.0	540
997-2-4	<2.0	<6.0	40	<1.0	<5.0	600
997-2-5	<2.0	<6.0	27	<1.0	<5.0	580
997-2-6	<2.0	<6.0	31	<1.0	<5.0	640
997-2-7	<2.0	<6.0	52	<1.0	<5.0	1200
997-4-1	<2.0	<6.0	39	<1.0	<5.0	200